

MODELS 2017

TECHNICAL DATA



TABBERT 

B e w e g e n d e M o m e n t e



Technical Data	ROSSINI 400 LK 2,3	ROSSINI 450 E 2,3	ROSSINI 450 TD 2,3	ROSSINI 480 TD 2,3
Axles	1	1	1	1
Overall length in cm	599	669	669	715
Usable length in cm	400	470	470	516
Overall width / interior width in cm	232 / 216	232 / 216	232 / 216	232 / 216
Overall height / interior height in cm	262 / 196	262 / 196	262 / 196	262 / 196
Mass of unladen vehicle, approx. in kg *	1.040	1.160	1.160	1.230
Mass in ready to travel condition, approx. in kg *	1.110	1.230	1.230	1.300
Tecnically maximum authorized laden mass (kg)**	1.300	1.400	1.400	1.500
Maximum payload, approx. in kg *	190	170	170	200
Tyre size	195/70 R 14 rf Li 96 (710)	205/65 R 15 rf Li 99 (775)	205/65 R 15 rf Li 99 (775)	205/65 R 15 rf Li 99 (775)
Awning, A/A size in cm	858	928	928	974
Bed size, front, in cm	198 x 135/135	2 x 199 x 87	199 x 139	199 x 139
Bed size, middle, in cm	-	-	-	-
Bed size, rear, in cm	1 x 198 x 750 1 x 198 x 680	-	180 x 157/117	202 x 147
Number of berths	up to 4	up to 3	up to 4	up to 4
Number of roof hoods	2x Mini Heki Plus	2x Mini Heki Plus	2x Mini Heki Plus	2x Mini Heki Plus
Number of power sockets 230V	5	7	5	6
Dometic type refrigerator / volume in liters	RMS 8550 / 106	RMS 8550 / 106	RML 9430 / 148	RML 9430 / 148
Truma type heating / Number of fans	S 3004 / 1	S 3004 / 1	S 3004 / 1	S 3004 / 1

Standard Equipment

General

- + 6 year impermeability guarantee (annual inspection by authorised dealer mandatory)

1. Chassis

- + Wide-track safety chassis with axle shock absorber
- + AL-KO smooth running chassis, fully galvanised
- + AL-KO premium supports
- + Stabilizer safety coupling (AKS) 3004 with softdock
- + AL-KO Trailer Control – ATC
- + AL-KO Premium Break (automatic break lining adjustment)

2. BODY

- + GFC roof with reduced hail sensitivity
- + Wall thickness 32 mm, roof thickness 33 mm, floor thickness 48 mm
- + Hammer tone finish sheet metal in white
- + Integrated gas bottle locker with aluminium floor, with parallel opening gas locker cover, with gas pressure damper and large opening
- + Entry step with integrated TABBERT emblem, insulated
- + Hinged window, tinted, heat insulating, with safety lock
- + Combined roller blinds and mosquito netting
- + Lift-tilt roof hood, clear glass / forced ventilation (400x400)
- + Two-piece entrance door with window, roller blind, waste bin, tray and triple lock

- + Single-key system for all doors and access hatches
- + Comfortable maneuvering handles at the front
- + Ergonomic shunting bar at the back
- + Service hatch in side wall (depending on layout)
- + TABBERT taillight with conventional lighting technology
- + Extra bright LED awning light, 12 V, above entrance door

3. LIVING

- + Furniture decor „Salem Ash“
- + High-quality metal handles in stainless steel look
- + Upholstery versions, options: Empoli, Rimini Blu, Cesena, Elba
- + easy conversion of round seating group to bed (no compensating pad required)
- + Ventilated seat storage boxes and rear ventilation of ceiling cupboards
- + Ergonomically shaped seat cushions with extra high back rest for optimized comfort
- + Storage compartments and surrounding storage space in seating group area
- + Textile room divider
- + Stylish panel curtains
- + High-quality corner shelves
- + Single-post lift table for circular seating group
- + High-quality PVC flooring
- + Fixed beds with 5-zone comfort foam mattress
- + Slatted frame, tilting, with gas-charged shock absorber



Technical Data	ROSSINI 490 DM 2,3	ROSSINI 540 E 2,3	ROSSINI 620 DM 2,5	ROSSINI 655 UDB 2,5
Axles	1	1	2	2
Overall length in cm	731	785	831	861
Usable length in cm	532	568	630	660
Overall width / interior width in cm	232 / 216	232 / 216	250 / 216	250 / 216
Overall height / interior height in cm	262 / 196	262 / 196	262 / 196	262 / 196
Mass of unladen vehicle, approx. in kg *	1.260	1.380	1.600	1.630
Mass in ready to travel condition, approx. in kg *	1.330	1.450	1.670	1.700
Tecnically maximum authorized laden mass (kg)**	1.500	1.700	2.000	2.000
Maximum payload, approx. in kg *	170	250	330	300
Tyre size	205/65 R 15 rf Li 99 (775)	205/70 R 15C Li 106 (950)	185/65 R15 Li 88 (560)	185/65 R15 Li 88 (560)
Awning, A/A size in cm	990	1.026	1.090	1.120
Bed size, front, in cm	199 x 139	199 x 87 / 187 x 87	199 x 139	216 x 146/153
Bed size, middle, in cm	194 x 97	-	240 x 114	199 x 139
Bed size, rear, in cm	1 x 210 x 72 / 1 x 198 x 72	202 x 157/147	1 x 192 x 68 / 1 x 185 x 68	-
	Opt. bunk beds 2 x 210 x 70 + 1 x 205 x 65		Opt. bunk beds 1x 192 x 68 / 2x 185 x 68	
Number of berths	up to 5	up to 4	up to 7	up to 7
Number of roof hoods	2x Mini Heki Plus	2x Mini Heki Plus	3x Mini Heki Plus	3x Mini Heki Plus
Number of power sockets 230V	5	7	6	6
Dometic type refrigerator / volume in liters	RML 9430 / 148	RML 9430 / 148	RML 9430 / 148	RML 9430s / 148
Truma type heating / Number of fans	S 3004 / 1	S 5004 / 1	Combi 6	S 5004 / 2

- + Storage shelf in bed area (depending on layout)
- + Storage hatch in the bench side wall in the entrance area
- + 2-door cabinet in front/rear toilet cubicle
- + Safetylock closure for ceiling-mounted kitchen cupboard
- + Smoke alarm

4. KITCHEN AND SANITARY AREA

- + Dometic refrigerator (gas or 12 V '1) or 230 V), with integrated light and freezer compartment (gas operation en route permitted only in combination with Mono or Dual Control)
- + 3-burner hob with cast grid and glass cover, ignition safety system and stainless steel sink
- + Stainless sink
- + Automatic mixer taps in kitchen and washroom
- + TABBERT counter top (depending on layout)
- + Pantry pull-out with large drawers and soft-close slides (depending on layout)
- + Top cupboard with mirror and storage space in the washroom (depending on layout plan)
- + 12V lighting
- + 230V hot water boiler via Truma Therme with automatic mixing tap
- + Thetford bank toilet
- + Toilet shaft seal

5. POWER SUPPLY

- + 13-pole connector system "Jäger" (DIN 72570)

- + Halogen and LED recessed spots (power saving, long life)
- + Flicker-free 10 W reading spots (long life, no brightness fluctuations), position adjustable
- + Optimized voltage supply (constant brightness in changeable lighting conditions, no flickering, no voltage fluctuations, silent operation)
- + TV-ready (areal connection, satellite cable in place)
- + Converter/switching power supply, 350 Watt
- + Wardrobe lighting

6. GAS / WATER / HEATING

- + Convection gas heater
- + Hot water supply (in kitchen and toilet with Truma Therme)
- + Fresh water tank, 45 liters, permanently installed, internal and external filling option, cleaning opening
- + Water lines routed alongside air recirculation hose
- + Warm air circulation with 12V speed control system

Item No.		400 LK 2,3	450 E 2,3	450 TD 2,3	480 TD 2,3	490 DM 2,3	540 E 2,3	620 DM 2,5	655 UDB 2,5	Weight	
Chassis											
150840	ALKO Big Foot for premium supports	•	•	•	•	•	•	•	•	2,5	
101353	Drawbar cover	•	•	•	•	•	•	•	•	4	
151372	Spare wheel, steel rim with standard tyre – not available for mono-axle with 2,000 kg	•	•	•	•	•	•	•	•	21	
151728	Spare wheel, alloy rim	•	•	•	•	•	•	•	•	21	
151840	Spare wheel, alloy instead of steel rim (surcharge for Premium Exterior package) – not available for mono-axle with 2,000 kg	•	•	•	•	•	•	•	•	-	
150027	Spare wheel brace in gas bottle locker	•	•	•	•	•	•	•	•	-	
151378	Alloy rims, silver, with tyres (mono-axle)	•	•	•	•	•	•	-	-	-	
151382	Alloy rims, silver, with tyres (tandem-axle)	-	-	-	-	-	-	•	•	-	
152069	Truma Mover XT / mono-axle up to 2,300 kg GVW – only in combination with 12 Volt package!	•	•	•	•	•	•	-	-	28	
152071	Truma Mover XT 2 / tandem-axle up to 2,400 kg GVW - only in combination with 12 Volt package!	-	-	-	-	-	-	•	•	28	
102232	Bicycle rack for 2 bikes - towbar mounting	•	•	•	•	•	•	•	•	9,7	
Roof, windows, gas bottle locker, doors, ventilation											
101342	Quarter window front	•	•	•	•	X	•	X	X	7	
100577	Roof railing	•	•	•	•	•	•	•	•	10	
101958	Storage hatch 60 x 95 cm, left or right (not available in combination with triple bunk bed option)	-	-	-	-	•	-	-	-	1,5	
102243	Storage hatch 100 x 120 cm, in travel direction on the right (available only with double bunk bed option)	-	-	-	-	-	-	•	-	4	
100750	Lift-tilt roof hood, clear glass / forced ventilation (700x500)	•	•	•	•	•	•	•	•	8	
101402	Mosquito netting door 1/1	•	•	•	•	•	•	•	•	4,3	
100612	Additional service hatch - position and size depending on layout	•	•	•	•	•	•	•	•	1,5	
102211	TVT (Top Value Technology) – Body up to max. length 550	•	•	•	•	•	•	-	-		
102212	TVT (Top Value Technology) – from body length 550	-	-	-	-	-	-	•	•		
Moldings											
101397	Awning rails above front and/or rear window	•	•	•	•	•	•	•	•	3	
101400	Double strip molding, silver/chrome	•	•	•	•	•	•	•	•	8	
101617	Single strip molding, silver/chrome	•	•	•	•	•	•	•	•	4	
Awnings											
500653	Awning 265 x 200cm – roof-mounted installation	•	-	-	-	-	-	-	-		
500655	Awning 350 x 250 cm – roof-mounted installation	-	•	•	-	-	-	-	-	26	
500657	Awning 405 x 250 cm – roof-mounted installation	-	-	-	•	•	-	-	-	29	
501997	Awning 455 x 250 cm – roof-mounted installation	-	-	-	-	-	•	•	•	32	
502349	Awning 600 x 300 cm – roof-mounted installation	-	-	-	-	-	-	-	-		
Living											
550590	Triple bunk bed	-	-	-	-	•	-	•	-	12	
551965	Pull-out bed extension for central seating group	-	-	-	-	•	-	-	-		
551345	Carpeting, body width 2.3 m	•	•	•	•	•	•	-	-	7,5	
551346	Carpeting, body length up to 590	-	-	-	-	-	-	•	•	9	
551408	Roll-out bed	-	•	-	-	-	•	-	-	2	
552030	TABBERT comfort sleeping system with disc spring bed base and breathable mattress	•	•	•	•	•	•	•	•	10	
552031	Beach bag in leather look and 2 shower towels with elaborate logo embroidery	•	•	•	•	•	•	•	•		
551679	Bed spread	•	•	•	•	•	•	•	•		
Power Supply											
250073	230 V socket for power supply outside, incl. antenna connection	•	•	•	•	•	•	•	•	0,5	
250072	Additional internal 230 V socket	•	•	•	•	•	•	•	•	0,3	
250940	12 V socket, additional, inside	•	•	•	•	•	•	•	•	0,3	
551480	Ambiance lighting, indirect LED light strip	•	•	•	•	•	•	•	•	1	
251337	Antenna cable on the drawbar, 10 m length	•	•	•	•	•	•	•	•	4	

Item No.		400 LK 2,3	450 E 2,3	450 TD 2,3	480 TD 2,3	490 DM 2,3	540 E 2,3	620 DM 2,5	655 UDB 2,5	Weight	
251998	Fully automated CaroVision antenna – (without receiver)	•	•	•	•	•	•	•	•	10	
252204	Entrance step illuminated	•	•	•	•	•	•	•	•		
551415	Swivel arm for flatscreen TV with 230 V and TV connection 2	•	•	•	•	•	•	•	•	3	
252034	Radio preparation with 2 speakers in living area and 2 speakers in sleeping area	•	•	•	•	•	•	•	•	3,5	
252190	Sound system with radio, 2 speakers in living area and 2 speakers in sleeping area, subwoofer, amplifier with audio jack cable from TV to sound system (only in conjunction with 12 V package)	•	•	•	•	•	•	•	•	5,5	
251969	USB connection socket	•	•	•	•	•	•	•	•		
251491	Awning light with motion sensor	•	•	•	•	•	•	•	•		

Kitchen and sanitary area											
400573	12 V fridge fan	•	•	•	•	•	•	•	•	0,3	
451441	Shower unit with taps, no 230 V socket in washroom	•	•	•	•	•	•	•	•	3,5	
101341	Quarter window toilet cubicle 500 x 520 (incl. roller blind, only for mid-position toilet cubicle)	•	•	–	–	•	•	–	–	3	
450563	Fill level display for fresh water tank (only in conjunction with 45 liter fresh water tank)	•	•	•	•	•	•	•	•		

Gas, water, heating											
300518	Gas socket, front, right	•	•	•	•	•	•	•	•	1,5	
301057	Remote display + Ice-Ex	•	•	•	•	•	•	•	•	0,5	
301956	Truma MonoControl CS incl. gas filter	•	•	•	•	•	•	•	•	1,3	
301957	Truma DuoControl CS incl. gas filter	•	•	•	•	•	•	•	•	1,8	
550086	Heating with Ultra-Heat (Truma electric heater) – not available in combination with Alde hot water boiler	•	•	•	•	•	•	–	•	2	
351388	Underfloor heating up to 560	•	•	•	•	•	•	–	–	10	
351389	Underfloor heating from 560	–	–	–	–	–	–	•	•	10	
450092	Waste water tank 25 liters, mobile, with odor trap	•	•	•	•	•	•	•	•	4	
451960	Fresh water tank, 75 liters, integrated in function floor	•	•	•	•	–	•	–	•	5,5	
451443	City water connection – via 45 liter tank (filled from outside)	•	•	•	•	•	•	•	•	6,5	
451444	City water connection – via 70 liter tank (filled from outside)	•	•	•	•	–	•	–	•	6,5	
451481	Hot water system with boiler via Truma Boiler BN 10 (gas/electric) - no Truma Therme	•	•	•	•	•	•	–	•	9,5	
451445	Water connection fixed with pressure reducer (without tank 45 liter)	•	•	•	•	•	•	•	•	1	

Air conditioning											
552052	Roof-mounted air conditioning	•	•	•	•	•	•	•	•	30	

TÜV TRAILER CERTIFICATE											
951036	TÜV and registration document	•	•	•	•	•	•	•	•		

Weight increase											
150112	1,300 kg to 1,400 kg / 1,500 kg**	•	–	–	–	–	–	–	–	15	
150111	1,400 kg to 1,500 kg	–	•	•	–	–	–	–	–	-	
150112	1,300 kg to 1,400 kg / 1,500 kg**	–	•	•	–	–	–	–	–	25	
150112	1,300 kg to 1,400 kg / 1,500 kg**	–	–	–	•	•	–	–	–	25	
150112	1,300 kg to 1,400 kg / 1,500 kg**	–	–	–	–	–	•	–	–	15	
150112	1,300 kg to 1,400 kg / 1,500 kg**	–	–	–	–	–	–	•	•	40	
150111	1,400 kg to 1,500 kg	–	–	–	–	–	–	–	–	-	
150112	1,300 kg to 1,400 kg / 1,500 kg**	–	–	–	–	–	–	–	–	20	
**	available up to 3 months before production										
***	Alloy rims must be fitted for load increases to 1,900/2,000 kg due to their higher payload capacity.										



Technical Data	DA VINCI 380 TD 2,3	DA VINCI 450 TD 2,3	DA VINCI 460 E 2,3	DA VINCI 490 TD 2,3	DA VINCI 495 HE 2,3	DA VINCI 540 DM 2,3
Axles	1	1	1	1	1	1
Overall length in cm	599	669	689	731	731	785
Usable length in cm	400	470	490	532	532	568
Overall width / interior width in cm	232 / 216	232 / 216	232 / 216	232 / 216	232 / 216	232 / 216
Overall height / interior height in cm	262 / 196	262 / 196	262 / 196	262 / 196	262 / 196	262 / 196
Mass of unladen vehicle, approx. in kg *	1.060	1.180	1.220	1.280	1.280	1.380
Mass in ready to travel condition, approx. in kg *	1.130	1.250	1.290	1.350	1.350	1.450
Tecnically maximum authorized laden mass (kg)**	1.300	1.400	1.500	1.500	1.500	1.700
Maximum payload, approx. in kg *	170	150	210	150	150	250
Tyre size	195/70 R 14 rf Li 96 (710)	205/65 R 15 rf Li 99 (775)	205/65 R 15 rf Li 99 (775)	205/65 R 15 rf Li 99 (775)	205/65 R 15 rf Li 99 (775)	205/70 R15 C Li 106 (950)
Awning, A/A size in cm	858	928	948	990	990	1.026
Bed size, front, in cm	199 x 139	199 x 139	199 x 86 / 186 x 86	199 x 139	198 x 132/111	199 x 139
Bed size, middle, in cm	-	-	-	-	-	194x95
Bed size, rear, in cm	192 x 90	198 x 125/131	198 x 105/117	198 x 145/145	199 x 86 / 186 x 86	2 x 191 x 68 Opt. 3 x 191 x 68
Number of berths	up to 4	up to 4	up to 3	up to 4	up to 4	up to 6
Number of roof hoods	1 + Midi Heki	1 + Midi Heki	2 + Midi Heki	1 + Midi Heki	2 + Midi Heki	1 + Midi Heki
Number of power sockets 230V	6	6	6	6	6	7
Dometic type refrigerator / volume in liters	RMS 8550/106	RMS 8550/106	RMS 8550 / 106	RML 9430 / 148	RML 9430 / 148	RMS 8550 / 106
Truma type heating / Number of fans	S 3004 / 1	S 3004 / 1	S 3004 / 1	S 3004 / 1	S 3004 / 1	S 5004/1

Standard Equipment

General

- + 6 year impermeability guarantee (annual inspection by authorised dealer mandatory)
- + 1. Chassis
- + Wide-track safety chassis with axle shock absorber
- + AL-KO smooth running chassis, fully galvanised
- + AL-KO premium supports
- + Stabilizer safety coupling (AKS) 3004 with softdock
- + AL-KO Trailer Control – ATC
- + AL-KO Premium Break (automatic break lining adjustment)

2. BODY

- + TABBERT comfort roof, thickness 58 mm, roof rear-ventilated (diffusion function)
- + GFC roof with reduced hail sensitivity
- + Wall thickness 31 mm, roof thickness 58 mm (33 mm sandwich, 23.5 mm felt + 1.5mm GRP), floor thickness 48 mm
- + Hammer tone finish sheet metal in white
- + Integrated gas bottle locker with aluminium floor, with parallel opening gas locker cover, with gas pressure damper and large opening
- + Entry step with integrated TABBERT emblem, insulated
- + Hinged window, tinted, heat insulating, with safety lock
- + Combined roller blinds and mosquito netting

- + Lift-tilt roof hood, clear glass / forced ventilation (700x500)
- + Lift-tilt roof hood, clear glass / forced ventilation (400x400)
- + Two-piece entrance door with window, roller blind, waste bin, tray and triple lock
- + Single-key system for all doors and access hatches
- + Comfortable maneuvering handles at the front
- + Ergonomic shunting bar at the back
- + Service hatch in side wall (depending on layout)
- + TABBERT taillight with conventional lighting technology
- + Extra bright LED awning light, 12 V, above entrance door

3. LIVING

- + Furniture decor „Noce Opera Caramel“
- + Furniture flaps in wood style
- + High-quality metal handles in chrome
- + Upholstery versions, options: Empoli, Rimini Blu, Cesena, Elba
- + easy conversion of round seating group to bed (no compensating pad required)
- + Ventilated seat storage boxes and rear ventilation of ceiling cupboards
- + Ergonomically shaped seat cushions with extra high back rest for optimized comfort
- + Storage compartments and surrounding storage space in seating group area
- + Textile room divider
- + Stylish panel curtains
- + High-quality corner shelves



Technical Data	DA VINCI 540 DM 2,5	DA VINCI 540 E 2,3	DA VINCI 550 DM 2,3	DA VINCI 560 TDL 2,5	DA VINCI 655 KD 2,5	DA VINCI 700 KD 2,5
Axles	1	1	1	1	2	2
Overall length in cm	785	785	785	807	861	947
Usable length in cm	568	568	568	590	660	746
Overall width / interior width in cm	250 / 234	232 / 216	232 / 216	250 / 234	250 / 234	250 / 234
Overall height / interior height in cm	262 / 196	262 / 196	262 / 196	262 / 196	262 / 196	262 / 196
Mass of unladen vehicle, approx. in kg *	1.410	1.380	1.410	1.460	1.640	1.890
Mass in ready to travel condition, approx. in kg *	1.480	1.450	1.480	1.530	1.710	1.960
Tecnically maximum authorized laden mass (kg)**	1.700	1.700	1.700	1.700	2.000	2.200
Maximum payload, approx. in kg *	220	250	220	170	290	240
Tyre size	205/70 R15 C Li 106 (950)	205/70 R15 C Li 106 (950)	205/70 R15 C Li 106 (950)	205/70 R15 C Li 106 (950)	185/65 R15 Li 88 (560)	205/65 R 15 rf Li 99 (775)
Awning, A/A size in cm	1.026	1.026	1.026	1.048	1.120	1.204
Bed size, front, in cm	199 x 157	199 x 86/186x86	199 x 86/186x86	199x157	216 x 180	216 x 145/147
Bed size, middle, in cm	194 x 113	-	-	-	2 x 186 x 68	199 x 121/141
Bed size, rear, in cm	2 x 208 x 68 / Opt. 3 x 208 x 68	198 x 171/117	2 x 191 x 76 Opt. 3 x 191 x 76	216 x 145/209	199 x 157	183 x 110/57 / bunk beds 2 x 193 x 77 / Opt. bunk beds 2 x 193 x 77 / + 1 x 193 x 68
Number of berths	up to 6	up to 4	up to 6	up to 4	up to 6	up to 8
Number of roof hoods	1 + Midi Heki	2 + Midi Heki	1 + Midi Heki	1 + Midi Heki	1 + Midi Heki	2 + Midi Heki
Number of power sockets 230V	7	6	6	6	6	7
Dometic type refrigerator / volume in liters	RMS 8550 / 106	RML 9430 / 148	RML 9430 / 148	RML 9430 / 148	RML 9430 / 148	RML 8550 / 189
Truma type heating / Number of fans	S 5004/1	S 5004/1	S 5004/1	S 5004/2	S 5004 / 2	S 5004 / 2

- + Single-post lift table for circular seating group
- + High-quality PVC flooring
- + Fixed beds with 5-zone comfort foam mattress
- + Slatted frame, tilting, with gas-charged shock absorber
- + Storage hatch in the bench side wall in the entrance area
- + Glass case with ceiling cupboard in entrance area (depending on layout)
- + 2-door cabinet in front/rear toilet cubicle
- + Safetylock closure for ceiling-mounted kitchen cupboard
- + Smoke alarm

4. KITCHEN AND SANITARY AREA

- + Dometic refrigerator (gas or 12 V ¹) or 230 V), with integrated light and freezer compartment (gas operation en route permitted only in combination with Mono or Dual Control)
- + 3-burner hob with cast grid and glass cover, ignition safety system and stainless steel sink
- + Stainless sink
- + Automatic mixer taps in kitchen and washroom
- + TABBERT counter top (depending on layout)
- + Pantry pull-out with large drawers and soft-close slides (depending on layout)
- + Top cupboard with mirror and storage space in washroom
- + 12V lighting
- + 230V hot water boiler via Truma Therme with automatic mixing tap
- + Thetford bank toilet (Dometic ceramic cassette toilet for 700 KD)
- + Toilet shaft seal

5. POWER SUPPLY

- + 13-pole connector system "Jäger" (DIN 72570)
- + Halogen and LED recessed spots (power saving, long life)
- + Flicker-free 10 W reading spots (long life, no brightness fluctuations), position adjustable
- + Optimized voltage supply (constant brightness in changeable lighting conditions, no flickering, no voltage fluctuations, silent operation)
- + TV-ready (areal connection, satellite cable in place)
- + Converter/switching power supply, 400 Watt
- + USB connection socket
- + Wardrobe lighting

6. GAS / WATER / HEATING

- + Convection gas heater
- + Hot water supply (in kitchen and toilet with Truma Therme)
- + Fresh water tank, 45 liters, permanently installed, internal and external filling option, cleaning opening
- + Water lines routed alongside air recirculation hose
- + Warm air circulation with 12V speed control system

Item No.		380 TD 2,3	450 TD 2,3	460 E 2,3	490 TD 2,3	495 HE 2,3	540 DM 2,3	540 DM 2,5	540 E 2,3	540 DM 2,3	560 TDL 2,5	655 KD 2,5	700 KD 2,5	Weight	
Chassis															
150840	ALKO Big Foot for premium supports	•	•	•	•	•	•	•	•	•	•	•	•	2,5	
101353	Drawbar cover	•	•	•	•	•	•	•	•	•	•	•	•	4	
151372	Spare wheel, steel rim with standard tyre – not available for mono-axle with 2,000 kg	•	•	•	•	•	•	•	•	•	•	•	•	21	
151728	Spare wheel, alloy rim	•	•	•	•	•	•	•	•	•	•	•	•	21	
151840	Spare wheel, alloy instead of steel rim (surcharge for Premium Exterior package)	•	•	•	•	•	•	•	•	•	•	•	•	-	
151378	Alloy rims, silver, with tyres (mono-axle)	•	•	•	•	•	•	•	•	•	•	-	-	-	
151382	Alloy rims, silver, with tyres (tandem-axle)	-	-	-	-	-	-	-	-	-	-	•	•	-	
152069	Truma Mover XT / mono-axle up to 2,300 kg – only in combination with 12 Volt package!	•	•	•	•	•	•	•	•	•	•	-	-	28	
152071	Truma Mover XT 2 / tandem-axle up to 2,400 kg GVW - only in combination with 12 Volt package!	-	-	-	-	-	-	-	-	-	-	•	•	28	
152072	Mover tandem-axle up to 2,401 kg GVW - only in combination with 12V power supply package!	-	-	-	-	-	-	-	-	-	-	•	•	60	
102232	Bicycle rack for 2 bikes - towbar mounting	•	•	•	•	•	•	•	•	•	•	•	•	9,7	
Roof, windows, gas bottle locker, doors, ventilation															
101342	Quarter window bed area front/rear - wall rack omitted	X	X	•	X	•	X	X	•	X	X	X	X	7	
100577	Roof railing	•	•	•	•	•	•	•	•	•	•	•	•	10	
101958	Storage hatch 60 x 95 cm, left or right (not available in combination with triple bunk bed option)	-	-	-	-	-	•	•	-	•	-	-	-		
100170	Lift-tilt roof hood (960x655)	-	-	-	-	-	-	-	-	-	-	•	•	7,2	
100750	Lift-tilt roof hood (700x500) additional	•	•	•	•	•	•	•	•	•	•	•	•	8	
101402	Mosquito netting door 1/1	•	•	•	•	•	•	•	•	•	•	•	•	4,3	
100612	Additional service hatch - position and size depending on layout	•	•	•	•	•	•	•	•	•	•	•	•	1,5	
102001	Heki II instead of Midi-Heki	•	•	•	•	•	•	•	•	•	•	•	•	11	
102211	TVT (Top Value Technology) – Body up to max. length 550	•	•	•	•	•	•	•	•	•	-	-	-		
102212	TVT (Top Value Technology) – from body length 550	-	-	-	-	-	-	-	-	-	•	•	•		
Moldings															
101397	Awning rails above front and/or rear window	•	•	•	•	•	•	•	•	•	•	•	•	3	
101400	Double strip molding, silver/chrome	•	•	•	•	•	•	•	•	•	•	•	•	8	
101617	Single strip molding, silver/chrome	•	•	•	•	•	•	•	•	•	•	•	•	4	
Awnings															
500653	Awning 265 x 200 cm – roof-mounted installation	•	-	-	-	-	-	-	-	-	-	-	-	20	
500655	Awning 350 x 250 cm – roof-mounted installation	-	•	•	-	-	-	-	-	-	-	-	-	26	
500657	Awning 405 x 250 cm – roof-mounted installation	-	-	-	•	-	-	-	-	-	-	-	-	29	
501997	Awning 455 x 250 cm – roof-mounted installation	-	-	-	-	-	•	•	•	•	•	•	•	32	
502349	Awning 600 x 300 cm – roof-mounted installation	-	-	-	-	-	-	-	-	-	-	-	•		
Living															
550590	Triple bunk bed	-	-	-	-	-	•	•	-	•	-	-	•	12	
551965	Pull-out bed extension for central seating group	-	-	-	-	-	•	•	-	•	-	-	-	-	
551345	Carpeting, body width 2.3 m	•	•	•	•	•	•	-	•	•	-	-	-	7,5	
551346	Carpeting, body length up to 590	-	-	-	-	-	-	•	-	-	•	-	-	9	
551347	Slide-out carpeting	-	-	-	-	-	-	-	-	-	-	•	•	11	
551408	Roll-out bed	-	-	•	-	-	-	•	-	-	-	-	-	2	
552030	TABBERT comfort sleeping system with disc spring bed base and breathable mattress	•	•	•	•	•	•	•	•	•	•	•	-	10	
552031	Beach bag in leather look and 2 shower towels with elaborate logo embroidery	•	•	•	•	•	•	•	•	•	•	•	•		
551679	Bed spread	•	•	•	•	•	•	•	•	•	•	•	•		
Power Supply															
250073	230 V socket for power supply outside, incl. antenna connection	•	•	•	•	•	•	•	•	•	•	•	•	0,5	
250072	Additional internal 230 V socket	•	•	•	•	•	•	•	•	•	•	•	•	0,3	
250940	12 V socket, additional, inside	•	•	•	•	•	•	•	•	•	•	•	•	0,3	
551480	Ambiance lighting, indirect LED light strip	•	•	•	•	•	•	•	•	•	•	•	•	1	

Item No.		380 TD 2,3	450 TD 2,3	460 E 2,3	490 TD 2,3	495 HE 2,3	540 DM 2,3	540 DM 2,5	540 E 2,3	540 DM 2,3	560 TDL 2,5	655 KD 2,5	700 KD 2,5	Weight	
251337	Antenna cable on the drawbar, 10 m length	•	•	•	•	•	•	•	•	•	•	•	•	4	
251998	Fully automated CaroVision antenna – (without receiver)	•	•	•	•	•	•	•	•	•	•	•	•	10	
252204	Entrance step illuminated	•	•	•	•	•	•	•	•	•	•	•	•		
551415	Swivel arm for flatscreen TV with 230 V and TV connection 2	•	•	•	•	•	•	•	•	•	•	•	•	3	
252034	Radio preparation with 2 speakers in living area and 2 speakers in sleeping area	•	•	•	•	•	•	•	•	•	•	•	•	3,5	
252190	Sound system with radio, 2 speakers in living area and 2 speakers in sleeping area, subwoofer, amplifier with audio jack cable from TV to sound system (only in conjunction with 12 V package)	•	•	•	•	•	•	•	•	•	•	•	•	5,5	
251491	Awning light with motion sensor	•	•	•	•	•	•	•	•	•	•	•	•		

Kitchen and sanitary area															
400573	12 V fridge fan	•	•	•	•	•	•	•	•	•	•	•	•	0	
400622	Extractor hood	•	•	•	•	•	•	•	•	•	•	•	•	5	
451441	Shower unit with taps, no 230 V socket in washroom	•	•	•	•	•	•	•	•	•	•	•	•	3,5	
101341	Quarter window toilet cubicle 500 x 520 (incl. roller blind, only for mid-position toilet cubicle)	–	–	•	–	•	–	–	•	–	–	–	•	3	
450563	Fill level display for fresh water tank (only in conjunction with 45 liter fresh water tank)	•	•	•	•	•	•	•	•	•	•	•	•		

Gas, water, heating															
300518	Gas socket, front, right	•	•	•	•	•	•	•	•	•	•	•	•	1,5	
301057	Remote display + Ice-Ex	•	•	•	•	•	•	•	•	•	•	•	•	0,5	
301956	Truma MonoControl CS incl. gas filter	•	•	•	•	•	•	•	•	•	•	•	•	1,3	
301957	Truma DuoControl CS incl. gas filter	•	•	•	•	•	•	•	•	•	•	•	•	1,8	
550086	Heating with Ultra-Heat (Truma electric heater) – not available in combination with Alde hot water boiler	•	•	•	•	•	•	•	•	•	•	•	•	2	
351388	Underfloor heating up to 560	•	•	•	•	•	•	•	•	•	–	–	–	10	
351389	Underfloor heating from 560	–	–	–	–	–	–	–	–	–	•	•	•	10	
450092	Waste water tank 25 liters, mobile, with odor trap	•	•	•	•	•	•	•	•	•	•	•	•	4	
351386	Alde hot water boiler via gas operation and/or 3 kW electric heating cartridge (service hatches omitted)	–	–	–	•	•	•	•	•	•	•	•	•	34	
352208	ALDE Smart Control	–	–	–	•	•	•	•	•	•	•	•	•		
451443	City water connection – via 45 liter tank (filled from outside)	•	•	•	•	•	•	•	•	•	•	•	•	6,5	
451444	City water connection – via 70 liter tank (filled from outside)	•	•	•	•	•	•	•	•	•	•	•	•	6,5	
451481	Hot water system with boiler via Truma Boiler BN 10 (gas/electric) - no Truma Therme	•	•	•	•	•	•	•	•	•	•	•	•	9,5	
451445	Water connection fixed with pressure reducer (without tank 45 liter)	•	•	•	•	•	•	•	•	•	•	•	•	1	
451960	Fresh water tank, 75 liters, integrated in function floor	•	•	•	•	•	–	–	•	–	•	•	•	5,5	

Air conditioning															
552052	Roof-mounted air conditioning	•	•	•	•	•	•	•	•	•	•	•	•	30	

TÜV TRAILER CERTIFICATE															
951036	TÜV and registration document	•	•	•	•	•	•	•	•	•	•	•	•		

Weight increase															
150112	1,300 kg to 1,400 kg / 1.500 kg**	•	–	–	–	–	–	–	–	–	–	–	–	15	
150111	1,400 kg to 1,500 kg	–	•	–	–	–	–	–	–	–	–	–	–	-	
150112	1,300 kg to 1,400 kg / 1.500 kg**	–	•	–	–	–	–	–	–	–	–	–	–	25	
150112	1,300 kg to 1,400 kg / 1.500 kg**	–	–	•	•	•	–	–	–	–	–	–	–	25	
150112	1,300 kg to 1,400 kg / 1.500 kg**	–	–	–	•	•	–	–	–	–	–	–	–	25	
150112	1,300 kg to 1,400 kg / 1.500 kg**	–	–	–	–	–	•	•	•	•	•	–	–	15	
150112	1,300 kg to 1,400 kg / 1.500 kg**	–	–	–	–	–	–	–	–	–	–	•	–	40	
150111	1,400 kg to 1,500 kg	–	–	–	–	–	–	–	–	–	–	–	•	-	
150112	1,300 kg to 1,400 kg / 1.500 kg**	–	–	–	–	–	–	–	–	–	–	–	•	20	
**	available up to 3 months before production														
***	Alloy rims must be fitted for load increases to 1,900/2,000 kg due to their higher payload capacity.														



Technical Data	VIVALDI 460 E 2,3	VIVALDI 480 TD 2,3	VIVALDI 550 E 2,3	VIVALDI 550 E 2,5	VIVALDI 560 E 2,5	VIVALDI 560 DM 2,5
Axles	1	1	1	1	1	1
Overall length in cm	689	715	785	785	785	785
Usable length in cm	490	516	568	568	568	568
Overall width / interior width in cm	232 / 216	232 / 216	232 / 216	250 / 234	250 / 234	251 / 234
Overall height / interior height in cm	265 / 196	265 / 196	265 / 196	265 / 196	265 / 196	266 / 196
Mass of unladen vehicle, approx. in kg *	1.320	1.360	1.460	1.500	1.500	1.500
Mass in ready to travel condition, approx. in kg *	1.390	1.430	1.530	1.570	1.570	1.570
Tecnically maximum authorized laden mass (kg)**	1.600	1.600	1.700	1.800	1.800	1.800
Maximum payload, approx. in kg *	210	170	170	230	230	230
Tyre size	205/70 R15C Li 106 (950)	205/70 R15C Li 106 (950)	205/70 R15C Li 106 (950)	205/70 R15C Li 106 (950)	205/70 R15C Li 106 (950)	205/70 R15C Li 106 (950)
Awning, A/A size in cm	952	978	1.030	1.030	1.030	1.030
Bed size, front, in cm	200 x 85/188x85	200 x 145	200 x 85/188x85	200 x 85/188x85	200 x 85 / 188 x 85	200 x 155
Bed size, middle, in cm	-	-	-	-	-	208 x 105
Bed size, rear, in cm	198 x 105/115	198 x 133/121	198 x 139/139	216 x 139/139	216 x 171/161	2 x 208 x 68 Opt. bunk beds 2 x 208 x 68 / + 1 x 208 x 63
Number of berths	up to 4	up to 4	up to 4	up to 4	up to 4	up to 6
Number of roof hoods	1 + Heki 2	1 + Heki 2	2 + Heki 2	2 + Heki 2	2 + Heki 2	2 + Heki 2
Number of power sockets 230V	6	6	6	6	6	6
Dometic type refrigerator / volume in liters	RMS 8500 / 92	RML 9430 / 148	RML 9430 / 148	RML 9430 / 148	RMS 8500 / 92	RML 8550 / 189 L
Truma type heating / Number of fans	S 3004 / 1	S 3004 / 1	S 5004 / 1	S 5004 / 1	S 5004 / 1	S 5004 / 1

Standard Equipment

General

- + 6 year impermeability guarantee (annual inspection by authorised dealer mandatory)

1. Chassis

- + Wide-track safety chassis with axle shock absorber
- + AL-KO smooth running chassis, fully galvanised
- + Low profile tyres
- + AL-KO premium supports
- + Stabilizer safety coupling (AKS) 3004 with softdock
- + AL-KO Trailer Control – ATC
- + AL-KO Premium Break (automatic break lining adjustment)

2. BODY

- + TABBERT comfort roof, thickness 58 mm, roof rear-ventilated (diffusion function)
- + GFC roof with reduced hail sensitivity
- + Wall thickness 31 mm, roof thickness 58 mm, floor thickness 47 mm
- + Hammer tone finish sheet metal in white
- + Integrated gas bottle locker with aluminium floor, with parallel opening gas locker cover, with gas pressure damper and large opening
- + Lighted entry step with TABBERT emblem (integrated and insulated)
- + Hinged window, tinted, heat insulating, with safety lock
- + Combined roller blinds and mosquito netting
- + Lift-tilt roof hood, clear glass / forced ventilation (960x655)
- + Lift-tilt roof hood, clear glass / forced ventilation (400x400)
- + Two-piece entrance door with window, roller blind, waste bin, tray and triple lock

- + Single-key system for all doors and access hatches
- + Comfortable maneuvering handles at the front
- + Ergonomic shunting bar at the back
- + Service hatch in bed area (depending on layout)
- + TABBERT taillight with homogeneous LED rear lamp
- + LED awning light above entrance door – with motion sensor

3. LIVING

- + Furniture decor „Coimbra“
- + High-quality metal handles in black chrome
- + Upholstery versions, options: Angelo, Pisa Blu, Le Villi (artificial leather), Turandot, LaBohème (real leather as option)
- + Easy conversion of round seating group to bed (no compensating pad required)
- + Aluminum vertical support at the entrance
- + Ventilation grate in bench or bed frame
- + Ceiling cupboards with rear ventilation
- + Ergonomically shaped seat cushions with extra high back rest for optimized comfort
- + Storage compartments and surrounding storage space in seating group area
- + Wooden sliding door as room divider (depending on layout)
- + Stylish panel curtains
- + High-quality corner shelves with LED lighting
- + Single-post lift table for circular seating group
- + Atmospheric ambient lighting
- + High-quality PVC flooring
- + Fixed beds with 5-zone comfort foam mattress



Technical Data	VIVALDI 560 TD 2,5	VIVALDI 560 TDL 2,5	VIVALDI 655 UEB 2,5	VIVALDI 655 UDB 2,5	VIVALDI 685 DF 2,5
Axles	1	1	2	2	2
Overall length in cm	807	807	861	861	891
Usable length in cm	590	590	660	660	690
Overall width / interior width in cm	250 / 234	250 / 234	250 / 234	250 / 234	250 / 234
Overall height / interior height in cm	265 / 196	265 / 196	265 / 196	265 / 196	265 / 196
Mass of unladen vehicle, approx. in kg *	1.530	1.530	1.700	1.700	1.730
Mass in ready to travel condition, approx. in kg *	1.600	1.600	1.770	1.770	1.800
Tecnically maximum authorized laden mass (kg)**	1.800	1.800	2.000	2.000	2.000
Maximum payload, approx. in kg *	200	200	230	230	200
Tyre size	205/70 R15C Li 106 (950)	205/70 R15C Li 106 (950)	185/65 R15 Li 88 (560)	185/65 R15 Li 88 (560)	185/65 R15 Li 88 (560)
Awning, A/A size in cm	1.052	1.052	1.120	1.120	1.150
Bed size, front, in cm	200 x 155	200 x 155	218 x 146/153	218 x 146/153	190 x 148
Bed size, middle, in cm	-	-	2 x 200 x 85	200 x 136	-
Bed size, rear, in cm	216 x 135/155	216 x 153/205	-	-	216 x 166/185
Number of berths	up to 4	up to 4	up to 4	up to 4	up to 4
Number of roof hoods	1 + Heki 2	1 + Heki 2	2 + Heki 2	2 + Heki 2	2 + Heki 2
Number of power sockets 230V	7	6	6	6	6
Dometic type refrigerator / volume in liters	RML 9430 / 148	RML 9430 / 148	RML 9430 / 148	RML 9430 / 148	RML 9430 / 148
Truma type heating / Number of fans	S 5004 / 2	S 5004 / 2	S 5004 / 2	S 5004 / 2	S 5004 / 2

- + Slatted frame, tilting, with gas-charged shock absorber
- + Functional wardrobe with shelves in sleeping area (depending on layout)
- + Storage hatch in the bench side wall in the entrance area
- + Glass case with ceiling cupboard in entrance area (depending on layout)
- + 4-door cabinet in front/rear toilet cubicle
- + Safetylock closure for ceiling-mounted kitchen cupboard
- + Smoke alarm

4. KITCHEN AND SANITARY AREA

- + Dometic refrigerator (gas or 12 V *) or 230 V), with integrated light and freezer compartment (gas operation en route permitted only in combination with Mono or Dual Control)
- + 3-burner hob with cast grid, ignition safety system and stainless steel sink with glass cover
- + Stainless steel sink with glass cover
- + Automatic mixer taps in kitchen and washroom
- + TABBERT counter top (depending on layout)
- + Pantry pull-out with large drawers and soft-close slides (depending on layout)
- + Top cupboard with indirectly lit mirror and storage space, in washroom
- + 12V LED lighting
- + 230 V hot water supply with automatic mixing tap
- + Thetford bank toilet (with Dometic ceramic cassette toilet with separate water tank for 560 UEB, 655 UEB, and 655 UDB)
- + Toilet shaft seal
- + TABBERT comfort bath (front/rear) length 1280
- + Shower tray with surrounding seal

5. POWER SUPPLY

- + 13-pole connector system "Jäger" (DIN 72570)
- + LED recess mounted spots (power saving, long life)
- + Non-flicker reading spots
- + Optimized voltage supply (constant brightness in changeable lighting conditions, no flickering, no voltage fluctuations, silent operation)
- + TV-ready (antenna connection, roof reinforcement for automatic antenna, SAT cable installed)
- + TV bracket provided, not fitted (only 560 TD)
- + Converter/switching power supply, 400 Watt
- + Protected electric cable routing
- + USB connection socket
- + Ambiance lighting under ceiling-mounted cupboard
- + Indirectly lit mirror over washbasin
- + Wardrobe lighting

6. GAS / WATER / HEATING

- + Convection gas heater
- + Hot water supply (in kitchen and toilet with Truma Thermo)
- + Fresh water tank, 45 liters, permanently installed, internal and external filling option, cleaning opening
- + Water lines routed alongside air recirculation hose
- + Warm air circulation with 12V speed control system

Item No.		460 E 2,3	480 TD 2,3	550 E 2,3	550 E 2,5	560 E 2,5	560 DM 2,5	560 TD 2,5	560 TDL 2,5	655 UEB 2,5	655 UDB 2,5	685 DF 2,5	Weight	
Chassis														
150840	ALKO Big Foot for premium supports	•	•	•	•	•	•	•	•	•	•	•	2,5	
101353	Drawbar cover	•	•	•	•	•	•	•	•	•	•	•	4	
151372	Spare wheel, steel rim with standard tyre – not available for mono-axle with 2,000 kg	•	•	•	•	•	•	•	•	•	•	•	21	
151728	Spare wheel, alloy rim	•	•	•	•	•	•	•	•	•	•	•	21	
151840	Spare wheel, alloy instead of steel rim (surcharge for Premium Exterior package)	•	•	•	•	•	•	•	•	•	•	•	-	
151378	Alloy rims, silver, with tyres (mono-axle)	•	•	•	•	•	•	•	•	-	-	-	-	
151382	Alloy rims, silver, with tyres (tandem-axle)	-	-	-	-	-	-	-	-	•	•	•	-	
152069	Truma Mover XT / mono-axle up to 2,300 kg – only in combination with 12 Volt package!	•	•	•	•	•	•	•	•	-	-	-	28	
152071	Truma Mover XT 2 / tandem-axle up to 2,400 kg GVW - only in combination with 12 Volt package!	-	-	-	-	-	-	-	-	•	•	•	28	
152072	Mover tandem-axle up to 2,401 kg GVW - only in combination with 12V power supply package!	-	-	-	-	-	-	-	-	•	•	•	60	
102232	Bicycle rack for 2 bikes - towbar mounting	•	•	•	•	•	•	•	•	•	•	•	9,7	
Roof, windows, gas bottle locker, doors, ventilation														
101342	Quarter window front	•	•	•	•	•	•	•	•	X	X	•	7	
101351	Roof hood with Mini-HEKI instead of HEKI 2	•	•	•	•	•	•	•	•	•	•	•	-5	
100577	Roof railing	•	•	•	•	•	•	•	•	•	•	•	10	
100750	Lift-tilt roof hood, clear glass / forced ventilation (700x500)	•	•	•	•	•	•	•	•	•	•	•	8	
101402	Mosquito netting door 1/1	•	•	•	•	•	•	•	•	•	•	•	4,3	
100612	Additional service hatch - position and size depending on layout	•	•	•	•	•	•	•	•	•	•	•	1,5	
102211	TVT (Top Value Technology) – Body up to max. length 550	•	•	-	-	-	-	-	-	-	-	-		
102212	TVT (Top Value Technology) – from body length 550	-	-	•	•	•	•	•	•	•	•	•		
Moldings														
101397	Awning rails above front and/or rear window	•	•	•	•	•	•	•	•	•	•	•	3	
101400	Double strip molding, silver/chrome	•	•	•	•	•	•	•	•	•	•	•	8	
101617	Single strip molding, silver/chrome	•	•	•	•	•	•	•	•	•	•	•	4	
102135	Right awning strip molding with integrated lighting (dimmable)	•	•	•	•	•	•	•	•	•	•	•	3	
Awnings														
500655	Awning 350 x 250 cm – roof-mounted installation	•	-	-	-	-	-	-	-	-	-	-	26	
500657	Awning 405 x 250 cm – roof-mounted installation	-	•	-	-	-	-	-	-	-	-	-	29	
501997	Awning 455 x 250 cm – roof-mounted installation	-	-	•	•	•	•	•	•	•	•	•	32	
Living														
551345	Carpeting, body width 2.3 m	•	•	•	-	-	-	-	-	-	-	-	7,5	
551346	Carpeting, body length up to 590	-	-	-	•	•	•	•	•	-	-	-	9	
551347	Slide-out carpeting	-	-	-	-	-	-	-	-	•	•	•	11	
551408	Roll-out bed	•	-	•	•	•	-	-	-	-	-	-	2	
551979	3rd bunk bed	-	-	-	-	-	•	-	-	-	-	-		
552030	TABBERT comfort sleeping system with disc spring bed base and breathable mattress	•	•	•	•	•	•	•	•	•	•	•	10	
552031	Beach bag in leather look and 2 shower towels with elaborate logo embroidery	•	•	•	•	•	•	•	•	•	•	•		
551679	Bed spread	•	•	•	•	•	•	•	•	•	•	•		
552205	Leather interior „La Boheme“	•	•	•	•	•	•	•	•	•	•	•		
552191	Upholstery version "Exclusiv" (bed frame and compensating pad included)	•	•	•	•	•	•	•	•	•	•	•		
551926	Large sideboard instead of shower	-	-	-	-	-	-	-	-	-	-	•		
552109	Wardrobe instead of shower room	-	-	-	-	-	-	-	-	-	-	•		
Power Supply														
250073	230 V socket for power supply outside, incl. antenna connection	•	•	•	•	•	•	•	•	•	•	•	0,5	
250072	Additional internal 230 V socket	•	•	•	•	•	•	•	•	•	•	•	0,3	
250940	12 V socket, additional, inside	•	•	•	•	•	•	•	•	•	•	•	0,3	
251337	Antenna cable on the drawbar, 10 m length	•	•	•	•	•	•	•	•	•	•	•	4	

Item No.		460 E 2,3	480 TD 2,3	550 E 2,3	550 E 2,5	560 E 2,5	560 DM 2,5	560 TD 2,5	560 TDL 2,5	655 UEB 2,5	655 UDB 2,5	685 DF 2,5	Weight	
251998	Fully automated CaroVision antenna – (without receiver)	•	•	•	•	•	•	•	•	•	•	•	10	
251741	HDMI connection (single) – improved picture quality on HDMI-capable TV devices	•	•	•	•	•	•	•	•	•	•	•	1	
251742	HDMI connection (double) – improved picture quality on HDMI-capable TV devices	•	•	•	•	•	•	•	•	•	•	•	1,5	
551415	Swivel arm for flatscreen TV with 230 V and TV connection 2	•	•	•	•	•	•	•	•	•	•	•	3	
551702	6 additional LED ceiling spots – technology in roof – bedroom	•	•	•	•	•	•	•	•	•	•	•	1,5	
252034	Radio preparation with 2 speakers in living area and 2 speakers in sleeping area	•	•	•	•	•	•	•	•	•	•	•	3,5	
252190	Sound system with radio, 2 speakers in living area and 2 speakers in sleeping area, subwoofer, amplifier with audio jack cable from TV to sound system (only in conjunction with 12 V package)	•	•	•	•	•	•	•	•	•	•	•	5,5	
251362	Underfloor lighting, LED	•	•	•	•	•	•	•	•	•	•	•	2,5	

Kitchen and sanitary area														
400573	12 V fridge fan	•	•	•	•	•	•	•	•	•	•	•	0,3	
400622	Extractor hood	•	•	•	•	•	•	•	•	•	•	•	5	
451441	Shower unit with taps, no 230 V socket in washroom	•	•	•	•	•	•	•	•	–	–	–	3,5	
451442	Comfort shower with folding door in front washroom (no hinged window in washroom)	–	•	–	–	–	•	•	•	X	X	–	6	
451777	Wood grille for shower tray	•	•	•	•	•	•	•	•	•	•	•	2,5	
101341	Quarter window toilet cubicle 500 x 520 (incl. roller blind, only for mid-position toilet cubicle)	•	X	•	•	•	X	X	X	X	X	•	3	
450563	Fill level display for fresh water tank (only in conjunction with 45 liter fresh water tank)	•	•	•	•	•	•	•	•	•	•	•		

Gas, water, heating														
450092	Waste water tank 25 liters, mobile, with odor trap	•	•	•	•	•	•	•	•	•	•	•	4	
351386	Alde hot water boiler via gas operation and/or 3 kW electric heating cartridge (service hatches omitted)	–	–	•	•	•	•	•	•	•	•	•	34	
352208	ALDE Smart Control	–	–	•	•	•	•	•	•	•	•	•		
451443	City water connection – via 45 liter tank (filled from outside)	•	•	•	•	•	•	•	•	•	•	•	6,5	
451444	City water connection – via 70 liter tank (filled from outside)	•	•	•	•	•	•	•	•	•	•	•	6,5	
301057	Remote display + Ice-Ex	•	•	•	•	•	•	•	•	•	•	•	0,5	
351388	Underfloor heating up to 560	•	•	•	•	•	•	•	•	–	–	–	10	
351389	Underfloor heating from 560	–	–	–	–	–	–	–	–	•	•	•	10	
300518	Gas socket, front, right	•	•	•	•	•	•	•	•	•	•	•	1,5	
351390	Truma fireplace only for Truma S 5004	–	–	•	•	•	•	•	•	•	•	•	3,5	
550086	Heating with Ultra-Heat (Truma electric heater) – not available in combination with Alde hot water boiler	•	•	•	•	•	•	•	•	•	•	•	2	
301956	Truma MonoControl CS incl. gas filter	•	•	•	•	•	•	•	•	•	•	•	1,3	
301957	Truma DuoControl CS incl. gas filter	•	•	•	•	•	•	•	•	•	•	•	1,8	
451481	Hot water system with boiler via Truma Boiler BN 10 (gas/electric) - no Truma Therme	•	•	•	•	•	•	•	•	•	•	•	9,5	
451960	Fresh water tank, 75 liters, integrated in function floor	•	•	•	•	•	•	•	•	•	•	•	5,5	
552262	Commode instead of toilet	–	•	–	–	–	•	•	•	–	–	–		

Air conditioning														
552052	Roof-mounted air conditioning	•	•	•	•	•	•	•	•	•	•	•	30	

TÜV TRAILER CERTIFICATE														
951036	TÜV and registration document	•	•	•	•	•	•	•	•	•	•	•		

Weight increase														
150111	1,600 kg to 1,700 kg	•	•	–	–	–	–	–	–	–	–	–	–	
150112	1,600 kg to 1,800 kg**	–	•	–	–	–	–	–	–	–	–	–	15	
150112	1,600 kg to 1,800 kg**	–	–	•	–	–	–	–	–	–	–	–	15	
150112	1,600 kg to 1,800 kg**	–	–	–	•	•	•	•	•	–	–	–	15	
150112	1,600 kg to 1,800 kg**	–	–	–	–	–	–	–	–	•	•	•	40	
**	available up to 3 months before production													
***	Alloy rims must be fitted for load increases to 1,900/2,000 kg due to their higher payload capacity.													



Technical Data	PUCCINI 480 TD 2,3	PUCCINI 495 HE 2,3	PUCCINI 550 E 2,3	PUCCINI 560 E 2,5	PUCCINI 560 TD 2,5
Axles	1	1	1	1	1
Overall length in cm	715	731	785	785	807
Usable length in cm	516	532	568	568	590
Overall width / interior width in cm	232 / 216	232 / 216	232 / 216	250 / 234	250 / 234
Overall height / interior height in cm	265 / 196	265 / 196	265 / 196	265 / 196	265 / 196
Mass of unladen vehicle, approx. in kg *	1.380	1.420	1.480	1.520	1.550
Mass in ready to travel condition, approx. in kg *	1.450	1.490	1.550	1.590	1.620
Tecnically maximum authorized laden mass (kg)**	1.600	1.700	1.700	1.800	1.800
Maximum payload, approx. in kg *	150	210	150	210	180
Tyre size	205/70 R15C Li 106 (950)	205/70 R15C Li 106 (950)	205/70 R15C Li 106 (950)	205/70 R15C Li 106 (950)	205/70 R15C Li 106 (950)
Awning, A/A size in cm	978	968	1.030	1.030	1.052
Bed size, front, in cm	198 x 133/121	200 x 125/153	200 x 85/188x85	200 x 85 / 188 x 85	200 x 155
Bed size, middle, in cm	-	-	-	-	-
Bed size, rear, in cm	198 x 115/105	198 x 85 / 188 x 85	198 x 129/125	216 x 171/161	216 x 135/155
Number of berths	up to 4	up to 4	up to 4	up to 4	up to 4
Number of roof hoods	1 + Heki 2	1 + Heki 2	2 + Heki 2	2 + Heki 2	1 + Heki 2
Number of power sockets 230V	6	6	6	6	7
Dometic type refrigerator / volume in liters	RML 9430 / 148	RMS 8500 / 92	RML 9430 / 148	RMS 8550 / 106	RML 9430 / 148
Truma type heating / Number of fans	S 3004 / 1	S 3004 / 1	S 5004 / 1	S 5004 / 1	S 5004 / 2

Standard Equipment

General

- + 6 year impermeability guarantee (annual inspection by authorised dealer mandatory)

1. Chassis

- + Wide-track safety chassis with axle shock absorber
- + AL-KO smooth running chassis, fully galvanised
- + Low profile tyres
- + AL-KO premium supports
- + Stabilizer safety coupling (AKS) 3004 with softdock
- + AL-KO Trailer Control – ATC
- + AL-KO Premium Break (automatic break lining adjustment)


2. BODY

- + TABBERT comfort roof, thickness 58 mm, roof rear-ventilated (diffusion function)
- + GFC roof with reduced hail sensitivity
- + Wall thickness 31 mm, roof thickness 58 mm, floor thickness 47 mm
- + Hammer tone finish sheet metal in white
- + Integrated gas bottle locker with aluminium floor, with parallel opening gas locker cover, with gas pressure damper and large opening
- + Lighted entry step with TABBERT emblem (integrated and insulated)
- + Hinged window, tinted, heat insulating, with safety lock
- + Combined roller blinds and mosquito netting
- + Lift-tilt roof hood, clear glass / forced ventilation (960x655)
- + Lift-tilt roof hood, clear glass / forced ventilation (400x400)
- + Two-piece entrance door with window, roller blind, waste bin, tray and triple lock

- + Single-key system for all doors and access hatches
- + Comfortable maneuvering handles at the front
- + Ergonomic shunting bar at the back
- + Service hatch in bed area (depending on layout)
- + TABBERT taillight with homogeneous LED rear lamp
- + LED awning light above entrance door – with motion sensor

3. LIVING

- + Furniture decor „Noce Cognac“
- + Furniture flaps, bi-color, with high-gloss finish
- + High-quality metal handles in chrome
- + Upholstery versions, options: Angelo, Pisa Blu, Le Villi (artificial leather), Turandot, LaBohème (real leather as option)
- + Easy conversion of round seating group to bed (no compensating pad required)
- + Aluminum vertical support at the entrance
- + Ventilation grate in bench or bed frame
- + Ceiling cupboards with rear ventilation
- + Ergonomically shaped seat cushions with extra high back rest for optimized comfort
- + Storage compartments and surrounding storage space in seating group area
- + Wooden sliding door as room divider (depending on layout)
- + Stylish panel curtains
- + High-quality corner shelves with indirect lighting
- + Contemporary ceiling-mounted cupboard with designer corner light
- + Single-post lift table for circular seating group
- + Atmospheric ambient lighting



Technical Data	PUCCINI 560 UEB 2,5	PUCCINI 655 D 2,5	PUCCINI 655 TD 2,5	PUCCINI 685 DF 2,5	PUCCINI 750 HTD 2,5
Axles	1	2	2	2	2
Overall length in cm	807	861	861	891	947
Usable length in cm	590	660	660	690	746
Overall width / interior width in cm	250 / 234	250 / 234	250 / 234	250 / 234	250 / 234
Overall height / interior height in cm	265 / 196	265 / 196	265 / 196	265 / 196	265 / 196
Mass of unladen vehicle, approx. in kg *	1.550	1.730	1.730	1.820	1.980
Mass in ready to travel condition, approx. in kg *	1.620	1.800	1.800	1.890	2.050
Tecnically maximum authorized laden mass (kg)**	1.800	2.000	2.000	2.200	2.300
Maximum payload, approx. in kg *	180	200	200	310	250
Tyre size	205/70 R15C Li 106 (950)	185/65 R15 Li 88 (560)	185/65 R15 Li 88 (560)	185/65 R15 Li 88 (560)	205/65 R15
Awning, A/A size in cm	1.052	1.120	1.120	1.150	1.204
Bed size, front, in cm	218 x 127/149	200 x 155	200 x 155	190 x 148	218 x 146/153
Bed size, middle, in cm	2 x 200 x 85	-	-	-	200 x 150
Bed size, rear, in cm	-	216 x 174/155	216 x 153/161	216 x 166/185	-
Number of berths	up to 4	up to 4	up to 4	up to 4	up to 4
Number of roof hoods	1 + Heki 2	2 + Heki 2	1 + Heki 2	2 + Heki 2	2 + Heki 2
Number of power sockets 230V	9	6	6	6	7
Dometic type refrigerator / volume in liters	RMS 8550 / 106	RML 9430 / 148	RML 9430 / 148	RML 9430 / 148	RML 9430 / 148
Truma type heating / Number of fans	S 5004 / 2	S 5004 / 2	S 5004 / 2	S 5004 / 2	S 5004 / 2

1) Double bed as well as single bed variants at extra charge 655 DV: Bed size:197x155; 655 E: Bed size: 2 x 197 x 82

- + High-quality PVC flooring
- + Fixed beds with 5-zone comfort foam mattress
- + Slatted frame, tilting, with gas-charged shock absorber
- + Functional wardrobe with shelves in sleeping area (depending on layout)
- + Storage hatch in the bench side wall in the entrance area
- + Glass case with ceiling cupboard in entrance area (depending on layout)
- + 4-door cabinet in front/rear toilet cubicle
- + Kitchenette splash-back in work surface design
- + Safetylock closure on all ceiling cupboards
- + Smoke alarm

4. KITCHEN AND SANITARY AREA

- + Dometic refrigerator (gas or 12 V ¹⁾ or 230 V), with integrated light and freezer compartment (gas operation en route permitted only in combination with Mono or Dual Control)
- + 3-burner hob with cast grid, ignition safety system and stainless steel sink with glass cover
- + Stainless steel sink with glass cover
- + Automatic mixer taps in kitchen and washroom
- + TABBERT counter top (depending on layout)
- + Pantry pull-out with large drawers and soft-close slides (depending on layout)
- + Top cupboard with indirectly lit mirror and storage space, in washroom
- + 12V LED lighting
- + Thetford bank toilet (with Dometic ceramic toilet unit for 560 UEB and 655 D)
- + Toilet shaft seal
- + 230 V hot water supply with automatic mixing tap
- + TABBERT comfort bath (front/rear) length 1280
- + Shower tray with surrounding seal

5. POWER SUPPLY

- + 13-pole connector system "Jäger" (DIN 72570)
- + LED recess mounted spots (power saving, long life)
- + Non-flicker reading spots
- + Optimized voltage supply (constant brightness in changeable lighting conditions, no flickering, no voltage fluctuations, silent operation)
- + TV-ready (antenna connection, roof reinforcement for automatic antenna, SAT cable installed)
- + TV bracket, provided unmounted
- + Converter/switching power supply, 400 Watt
- + Protected electric cable routing
- + USB connection socket
- + Ambiance ceiling lighting
- + Indirectly lit mirror over washbasin
- + All lights individually switched/dimmed
- + Wardrobe lighting

6. GAS / WATER / HEATING

- + Electric underfloor heating
- + Convection gas heater
- + Hot water supply (in kitchen and toilet with Truma Therme)
- + Fresh water tank, 45 liters, permanently installed, internal and external filling option, cleaning opening
- + Water lines routed alongside air recirculation hose
- + Warm air circulation with 12V speed control system

Item No.		480 TD 2,3	495 HE 2,3	550 E 2,3	560 E 2,5	560 TD 2,5	560 UEB 2,5	655 D 2,5	655 TD 2,5	685 DF 2,5	750 HTD 2,5	Weight	
Chassis													
150840	ALKO Big Foot for premium supports	•	•	•	•	•	•	•	•	•	•	2,5	
101353	Drawbar cover	•	•	•	•	•	•	•	•	•	•	4	
151678	Hydraulic supports – only in combination with 12V power supply package!	•	•	•	•	•	•	•	•	•	•	22	
151372	Spare wheel, steel rim with standard tyre – not available for mono-axle with 2,000 kg	•	•	•	•	•	•	•	•	•	•	21	
151728	Spare wheel, alloy rim	•	•	•	•	•	•	•	•	•	•	21	
151840	Spare wheel, alloy instead of steel rim (surcharge for Premium Exterior package)	•	•	•	•	•	•	•	•	•	•	-	
151378	Alloy rims, silver, with tyres (mono-axle)	•	•	•	•	•	•	-	-	-	-	-	
151382	Alloy rims, silver, with tyres (tandem-axle)	-	-	-	-	-	-	•	•	•	•	-	
152069	Truma Mover XT / mono-axle up to 2,300 kg – only in combination with 12 Volt package!	•	•	•	•	•	•	-	-	-	-	28	
152071	Truma Mover XT 2 / tandem-axle up to 2,400 kg GVW - only in combination with 12 Volt package!	-	-	-	-	-	-	•	•	•	•	28	
152072	Mover tandem-axle up to 2,401 kg GVW - only in combination with 12V power supply package!	-	-	-	-	•	-	•	•	•	•	60	
102232	Bicycle rack for 2 bikes - towbar mounting	•	•	•	•	•	•	•	•	•	•	9,7	
Roof, windows, gas bottle locker, doors, ventilation													
101342	Quarter window front	•	X	•	•	•	X	•	•	•	X	7	
101351	Roof hood with Mini-HEKI instead of HEKI 2	•	•	•	•	•	•	•	•	•	•	-5	
100577	Roof railing	•	•	•	•	•	•	•	•	•	•	10	
100750	Lift-tilt roof hood, clear glass / forced ventilation (700x500)	•	•	•	•	•	•	•	•	•	•	10	
101402	Mosquito netting door 1/1	•	•	•	•	•	•	•	•	•	•	4,3	
100612	Additional service hatch - position and size depending on layout	•	•	•	•	•	•	•	•	•	•	1,5	
102211	TVT (Top Value Technology) – Body up to max. length 550	•	•	-	-	-	-	-	-	-	-		
102212	TVT (Top Value Technology) – from body length 550	-	-	•	•	•	•	•	•	•	•		
Moldings													
101397	Awning rails above front and/or rear window	•	•	•	•	•	•	•	•	•	•	3	
101400	Double strip molding, silver/chrome	•	•	•	•	•	•	•	•	•	•	8	
101617	Single strip molding, silver/chrome	•	•	•	•	•	•	•	•	•	•	4	
102135	Awning strip molding with integrated lighting (dimnable)	•	•	•	•	•	•	•	•	•	•	3	
Moldings													
500655	Awning 350 x 250 cm – roof-mounted installation	•	•	-	-	-	-	-	-	-	-	26	
500657	Awning 405 x 250 cm – roof-mounted installation	•	•	-	-	-	-	-	-	-	-	29	
501997	Awning 455 x 250 cm – roof-mounted installation	-	-	•	•	•	•	•	•	•	•	32	
502349	Awning 600 x 300 cm – roof-mounted installation	-	-	-	-	-	-	-	-	-	•		
Living													
551345	Carpeting, body width 2.3 m	•	•	•	-	-	-	-	-	-	-	7,5	
551346	Carpeting, body length up to 590	-	-	-	•	•	•	-	-	-	-	9	
551347	Slide-out carpeting	-	-	-	-	-	•	•	•	•	•	11	
551408	Roll-out bed	-	•	•	•	-	-	-	-	-	-	2	
551424	Bedroom „E“ with single beds – roll-out bed option 551408 additionally available	-	-	-	-	-	•	-	-	-	-	0	
552206	Sleeping space "DV" with glass case instead of wardrobe	-	-	-	-	-	•	-	-	-	-		
552030	TABBERT comfort sleeping system with disc spring bed base and breathable mattress	•	•	•	•	•	•	•	•	•	-	10	
552031	Beach bag in leather look and 2 shower towels with elaborate logo embroidery	•	•	•	•	•	•	•	•	•	•		
551679	Bed spread	•	•	•	•	•	•	•	•	•	•		
552205	Leather interior „La Boheme“	•	•	•	•	•	•	•	•	•	•		
552191	Upholstery version "Exclusiv" (bed frame and compensating pad included)	•	•	•	•	•	•	•	•	•	•		
551926	Large sideboard instead of shower	-	-	-	-	-	•	-	•	-	-		
552109	Wardrobe instead of shower room	-	-	-	-	-	•	-	•	-	-		
Power Supply													
250073	230 V socket for power supply outside, incl. antenna connection	•	•	•	•	•	•	•	•	•	•	0,5	
250072	Additional internal 230 V socket	•	•	•	•	•	•	•	•	•	•	0,3	
250940	12 V socket, additional, inside	•	•	•	•	•	•	•	•	•	•	0,3	

Item No.		480 TD 2,3	495 HE 2,3	550 E 2,3	560 E 2,5	560 TD 2,5	560 UEB 2,5	655 D 2,5	655 TD 2,5	685 DF 2,5	750 HTD 2,5	Weight	
251337	Antenna cable on the drawbar, 10 m length	•	•	•	•	•	•	•	•	•	•	4	
251998	Fully automated CaroVision antenna – (without receiver)	•	•	•	•	•	•	•	•	•	•	10	
251741	HDMI connection (single) – improved picture quality on HDMI-capable TV devices	•	•	•	•	•	•	•	•	•	•	1	
251742	HDMI connection (double) – improved picture quality on HDMI-capable TV devices	•	•	•	•	•	•	•	•	•	•	1,5	
551415	Swivel arm for flatscreen TV with 230 V and TV connection 2	•	•	•	•	•	•	•	•	•	•	3	
551702	6 additional LED ceiling spots – technology in roof – bedroom	•	•	•	•	•	•	•	•	•	•	1,5	
252034	Radio preparation with 2 speakers in living area and 2 speakers in sleeping area	•	•	•	•	•	•	•	•	•	•	3,5	
252190	Sound system with radio, 2 speakers in living area and 2 speakers in sleeping area, subwoofer, amplifier with audio jack cable from TV to sound system (only in conjunction with 12 V package)	•	•	•	•	•	•	•	•	•	•	5,5	
251362	Underfloor lighting, LED	•	•	•	•	•	•	•	•	•	•	2,5	

Kitchen and sanitary area

400573	12 V fridge fan	•	•	•	•	•	•	•	•	•	•	0,3	
400622	Extractor hood	•	•	•	•	•	•	•	•	•	•	5	
451441	Shower unit with taps, no 230 V socket in washroom	•	•	•	•	•	–	–	•	–	–	3,5	
451442	Comfort shower with folding door in front washroom (no hinged window in washroom)	•	–	–	–	•	X	–	•	–	X	6	
451777	Wood grille for shower tray	•	•	•	•	•	•	•	•	•	•	2,5	
101341	Quarter window toilet cubicle 500 x 520 (incl. roller blind, only for mid-position toilet cubicle)	–	•	•	•	–	–	•	–	•	–	3	
450563	Fill level display for fresh water tank (only in conjunction with 45 liter fresh water tank)	•	•	•	•	•	•	•	•	•	•		

Gas, water, heating

450092	Waste water tank 25 liters, mobile, with odor trap	•	•	•	•	•	•	•	•	•	•	4	
351386	Alde hot water boiler via gas operation and/or 3 kW electric heating cartridge (service hatches omitted)	–	–	•	•	•	•	•	•	•	•	34	
352208	ALDE Smart Control	–	–	•	•	•	•	•	•	•	•		
451443	City water connection – via 45 liter tank (filled from outside)	•	•	•	•	•	•	•	•	•	•	6,5	
451444	City water connection – via 70 liter tank (filled from outside)	•	•	•	•	•	•	•	•	•	•	6,5	
301057	Remote display + Ice-Ex	•	•	•	•	•	•	•	•	•	•	0,5	
351390	Truma fireplace only for Truma S 5004	–	–	•	•	•	•	•	•	•	•		
300518	Gas socket, front, right	•	•	•	•	•	•	•	•	•	•	1,5	
550086	Heating with Ultra-Heat (Truma electric heater) – not available in combination with Alde hot water boiler	•	•	•	•	•	•	•	•	•	•	2	
301956	Truma MonoControl CS incl. gas filter	•	•	•	•	•	•	•	•	•	•	1,3	
301957	Truma DuoControl CS incl. gas filter	•	•	•	•	•	•	•	•	•	•	1,8	
451481	Hot water system with boiler via Truma Boiler BN 10 (gas/electric) - no Truma Therme	•	•	•	•	•	•	•	•	•	•	9,5	
451960	Fresh water tank, 75 liters, integrated in function floor	•	•	•	•	•	•	•	•	•	•	6	
552262	Commode instead of toilet	•	–	–	–	•	–	–	•	–	–		

Air conditioning

552052	Roof-mounted air conditioning	•	•	•	•	•	•	•	•	•	•	30	
--------	-------------------------------	---	---	---	---	---	---	---	---	---	---	----	--


TÜV TRAILER CERTIFICATE

951036	TÜV and registration document	•	•	•	•	•	•	•	•	•	•		
--------	-------------------------------	---	---	---	---	---	---	---	---	---	---	--	--

Weight increase

150111	1.600 kg to 1.700 kg	•	–	–	–	–	–	–	–	–	–	–	
150112	1.600 kg to 1.800 kg**	•	–	–	–	–	–	–	–	–	–	15	
150112	1.700 kg to 1.800 kg**	–	•	–	–	–	–	–	–	–	–	15	
150112	1.700 kg to 1.800/1.900/2.000 kg***	–	–	•	–	–	–	–	–	–	–	15	
150112	1.800 kg to 1.900/2.000 kg***	–	–	–	•	•	•	–	–	–	–	15	
150112	2.000 kg to 2.500 kg **	–	–	–	–	–	•	•	•	•	–	40	
150111	2.300 kg to 2.500 kg	–	–	–	–	–	–	–	–	–	•	–	
150112	2.300 kg to 2.800 kg **	–	–	–	–	–	–	–	–	–	•	20	
**	available up to 3 months before production												
***	Alloy rims must be fitted for load increases to 1,900/2,000 kg due to their higher payload capacity.												

Technical Data



Technical Data	CELLINI 590 TD 2,5	CELLINI 655 DF 2,5	CELLINI 750 HTD 2,5
Axles	2	2	2
Overall length in cm	866	936	1.022
Usable length in cm	590	660	746
Overall width / interior width in cm	250 / 234	250 / 234	250 / 234
Overall height / interior height in cm	265 / 196	265 / 196	265 / 196
Mass of unladen vehicle, approx. in kg *	1.970	2.080	2.330
Mass in ready to travel condition, approx. in kg *	2.040	2.150	2.400
Tecnically maximum authorized laden mass (kg)**	2.300	2.500	2.800
Maximum payload, approx. in kg *	260	350	400
Tyre size	205/65 R15 rf Li 99 N (775)	205/65 R15 rf Li 99 N (775)	205/65 R15 rf Li 99 N (775)
Awning, A/A size in cm	1.050	1.120	1.206
Bed size, front, in cm	201 x 155	190 x 148	227 x 188/158
Bed size, middle, in cm	-	-	201 x 137
Bed size, rear, in cm	215 x 142/126	227 x 150/148	-
Number of berths	up to 4	up to 4	up to 4
Number of roof hoods	1 + Heki	2 + Heki 2	2 + Heki 2
Number of power sockets 230V	7	7	7
Dometic type refrigerator / volume in liters	Drawer Fresh / 170	Drawer Fresh / 170	Drawer Fresh / 170
Truma type heating / Number of fans	S 5004 / 2	S 5004 / 2	S 5004 / 2

1) Double bed as well as single bed variants at extra charge 655 D: Bed size: 194x151; 655 E: Bed size: 2 x 201 x 85

Standard Equipment

General

- + 6 year impermeability guarantee (annual inspection by authorised dealer mandatory)

1. Chassis

- + Alloy rims
- + Wide-track safety chassis with axle shock absorber
- + Drawbar cover
- + Spare wheel
- + AL-KO smooth running chassis, fully galvanised
- + Low profile tyres
- + AL-KO premium supports
- + Stabilizer safety coupling (AKS) 3004 with softdock
- + AL-KO Trailer Control – ATC
- + AL-KO Premium Break (automatic break lining adjustment)

2. BODY

- + TABBERT comfort roof, thickness 58 mm, roof rear-ventilated (diffusion function)
- + GFC roof with reduced hail sensitivity
- + Wall thickness 31 mm, roof thickness 58 mm, floor thickness 47 mm
- + Hammer tone finish sheet metal in white
- + LFI (Long Fiber Injection) technology at front and rear
- + Integrated gas locker with aluminium floor and gas locker cover with gas pressure damper and 3-point locking system
- + Lighted entry step with TABBERT emblem (integrated and insulated)
- + Hinged window, tinted, heat insulating, with safety lock
- + Strip molding, silver chrome (single)
- + Entrance door with window, roller blind, waste bin, tray, and safety lock
- + Rear storage locker with aluminum floor
- + Combined roller blinds and mosquito netting
- + Lift-tilt roof hood, clear glass / forced ventilation (960x655)
- + Lift-tilt roof hood, clear glass / forced ventilation (400x400)
- + Single-key system for all doors and access hatches
- + Comfortable maneuvering handles
- + Service hatch in side wall (depending on layout)
- + Brake/tail lights, LED
- + Indicator lights, LED
- + Fog/reversing lights, LED
- + LED awning light above entrance door – with motion sensor
- + TABBERT function floor with underfloor trays

3. LIVING

- + Furniture decor „Noce Lido“
- + Exclusive metal handles with comfortable Push in Plus locking
- + Furniture flaps, bi-color, with high-gloss finish
- + Upholstery versions, options: Grazia (real leather as option), Atmosfera, Tendenza (artificial leather)
- + Aluminum vertical support at the entrance
- + Ventilation grate in bench or bed frame
- + Ceiling cupboards with rear ventilation
- + Ergonomically shaped seat cushions with extra high back rest for optimized comfort
- + Wooden sliding door as room divider
- + Stylish panel curtains

- + Single-post lift table for circular seating group
- + Indirect LED lighting strip in canopy (ambient lighting)
- + High-quality PVC flooring
- + Centrally controlled lighting with dimmer
- + Storage hatch in the bench side wall in the entrance area
- + Glass case with ceiling cupboard in entrance area (depending on layout)
- + Corner shelves with integrated lighting
- + Smoke alarm

4. KITCHEN AND SANITARY AREA

- + Dometic refrigerator (gas or 12 V ¹) or 230 V), with integrated light and freezer compartment (gas operation en route permitted only in combination with Mono or Dual Control)
- + 3-burner hob with cast iron pan supports, ignition safety, and stainless steel sink with glass cover
- + Stainless sink with coverage
- + Automatic mixer taps in kitchen and washroom
- + Wall-mounted cabinet with mirror and storage space in the washroom
- + 12V LED lighting
- + 230V-water heating
- + Ceramic cassette toilet
- + Hinged milk glass washroom window with blackout/mosquito netting roller blind (depending on layout)
- + Composite material washbasin
- + High-quality soft-close drawers

5. POWER SUPPLY

- + 13-pole connector system “Jäger” (DIN 72570)
- + LED recess mounted spots (power saving, long life)
- + Optimized voltage supply (constant brightness in changeable lighting conditions, no flickering, no voltage fluctuations, silent operation)
- + TV-ready (antenna connection, roof reinforcement for automatic antenna, SAT cable installed)
- + 22" flatscreen TV with integrated receiver and swivel arm
- + Converter/switching power supply 400W, integrated in multifunction floor
- + USB connection socket
- + Wardrobe lighting
- + MP3 fitted radio with 2 speakers in living area, and 2 speakers in sleeping area
- + 6. GAS / WATER / HEATING
- + Electric underfloor heating
- + Convection gas heater
- + Hot water supply (in kitchen and toilet with Truma Thermo)
- + Fresh water tank, 45 liters, integrated in multifunction floor
- + Water lines routed alongside air recirculation hose
- + City water connection
- + Roof-mounted air conditioning

7. Air Conditioning

- + Roof-mounted air conditioning

Item No.		590 TD	655 DF	750 HTD	Weight	
Chassis						
150840	ALKO Big Foot for premium supports	•	•	•	3	
151728	Spare wheel, alloy rim	•	•	•	-	
151678	Hydraulic supports – only in combination with 12V power supply package!	•	•	•	22	
152072	Mover tandem-axle up to 3,100 kg - only in combination with 12V power supply package!	•	•	•	60	
102232	Bicycle rack for 2 bikes - towbar mounting	•	•	•	10	

Roof, windows, gas bottle locker, doors, ventilation						
100577	Roof railing	•	•	•	10	
100750	Lift-tilt roof hood, clear glass / forced ventilation (700x500)	•	•	•	8	
101402	Mosquito netting door 1/1	•	•	•	4	
100612	Additional service hatch - position and size depending on layout	•	•	•	2	
102212	TVT (Top Value Technology) – from body length 550	•	•	•		

Moldings						
102000	Additional single strip molding silver/chrome	•	•	•	8	
101399	Additional double strip molding silver/chrome	•	•	•		
102135	Awning strip molding with integrated lighting	•	•	•		

Awnings						
501997	Awning 455 x 250 cm – roof-mounted installation	•	•	•	32	
502349	Awning 600 x 300 cm - roof-mounted installation	–	–	•		

Living						
551346	Carpeting, body length up to 590	•	–	–	9	
551347	Slide-out carpeting	–	•	•	11	
551961	Roof cladding incl. anthracite-coloured air conditioning cover and integrated TFT bracket	–	•	–		
551962	Roof cladding incl. anthracite-coloured air conditioning cover	•	•	•	10	
551423	Bedroom „D“ with lateral double bed	–	•	–		
551424	Bedroom „E“ with single beds – roll-out bed option 551408 additionally available	–	•	–		
551416	Leather design Grazia	•	•	•		
552030	TABBERT comfort sleeping system with disc spring bed base and breathable mattress	•	•	•		
552031	Beach bag in leather look and 2 shower towels with elaborate logo embroidery	•	•	•		
551679	Bed spread	•	•	•		
552269	Wardrobe instead of bathroom cabinet	–	–	•		
552270	Sideboard with 3 instead of 2 doors	–	–	•		
402271	Continuous kitchen counter top – in-built appliances provided uninstalled	•	•	•		

Power Supply						
250073	230 V socket for power supply outside, incl. antenna connection	•	•	•	1	
250072	Additional internal 230 V socket	•	•	•		
250940	12 V socket, additional, inside	•	•	•		
251998	Fully automated CaroVision antenna – (without receiver)	•	•	•	10	
252129	Fully automated Oyster 65 Twin antenna – (without receiver)	•	•	•	10	
251337	Antenna cable on the drawbar, 10 m length	•	•	•	4	
551702	6 additional LED ceiling spots – technology in roof – bedroom	•	•	•	2	
252004	Sound system "classic" with subwoofer, amplifier and jack cable for TFT audio transfer from TV to sound system (only in conjunction with 12 V package)	•	•	•	6	
252005	Sound system "premium" with subwoofer, amplifier and jack cable for audio transfer from TV to sound system incl. CaroVision (only in conjunction with 12 V package)	•	•	•		
251362	Underfloor lighting, LED	•	•	•	3	

Item No.		590 TD	655 DF	750 HTD	Weight	
Kitchen area						
401307	189 liter fridge – gas operation in driving mode is only allowed in combination with Mono Control (12 V operation not provided)	•	•	•	18	
400573	12 V fridge fan	•	•	•	0	
400622	Extractor hood	•	•	•	5	

Sanitary area						
451441	Shower unit with taps, no 230 V socket in washroom	-	X	X	4	
451442	Comfort shower with folding door in front washroom (no hinged window in washroom)	•	–	–	6	
451777	Wood grille for shower tray	•	•	•	3	
101341	Quarter window toilet cubicle 500 x 520 (incl. roller blind, only for mid-position toilet cubicle)	–	•	–	3	
450563	Fill level display for fresh water tank (only in conjunction with 45 liter fresh water tank)	•	•	•		

Gas, water, heating						
450092	Waste water tank 25 liters, mobile, with odor trap	•	•	•	4	
351386	Alde hot water boiler via gas operation and/or 3 kW electric heating cartridge (service hatchs omitted)	•	•	•	34	
352208	ALDE Smart Control	•	•	•		
451960	Fresh water tank, 75 liters, integrated in function floor	•	•	•	6	
300518	Gas socket, front, right	•	•	•	2	
550086	Heating with Ultra-Heat (Truma electric heater) – not available in combination with Alde hot water boiler	•	•	•	2	
301956	Truma MonoControl CS incl. gas filter	•	•	•	1	
301957	Truma DuoControl CS incl. gas filter	•	•	•	2	
301057	Remote display + Ice-Ex	•	•	•	1	
351390	Truma fireplace only for Truma S 5004	•	•	•	4	
451481	Hot water system with boiler via Truma Boiler BN 10 (gas/electric) - no Truma Therme	•	•	•	10	

TÜV TRAILER CERTIFICATE						
951036	TÜV and registration document	•	•	•		

Weight increase						
150112	2,300 kg to 2,500 kg **	•	–	–	-	
150112	2,500 kg to 2,800 kg **	–	•	–	20	
**	available up to 3 months before production					



Technical Data	CELLINI 750 HTD 2,5 Slide Out
Axles	2
Overall length in cm	1.027
Usable length in cm	746
Overall width / interior width in cm	250 / 234
Overall height / interior height in cm	265 / 196
Mass of unladen vehicle, approx. in kg *	2.730
Mass in ready to travel condition, approx. in kg *	2.800
Tecnically maximum authorized laden mass (kg)**	3.000
Maximum payload, approx. in kg *	200
Tyre size	205/65 R15C Li 102 N (850)
Awning, A/A size in cm	1.206
Bed size, front, in cm	227 x 188/158
Bed size, middle, in cm	201 x 137
Bed size, rear, in cm	-
Number of berths	up to 4
Number of roof hoods	2 + Heki 2
Number of power sockets 230V	7
Dometic type refrigerator / volume in liters	Drawer Fresh / 170
Truma type heating / Number of fans	S 5004 / 2 + E2400 (Gas)

Standard Equipment

General

- + 6 year impermeability guarantee (annual inspection by authorised dealer mandatory)

1. Chassis

- + Alloy rims
- + Wide-track safety chassis with axle shock absorber
- + Drawbar cover
- + Spare wheel
- + AL-KO smooth running chassis, fully galvanised
- + Low profile tyres
- + AL-KO premium supports
- + Stabilizer safety coupling (AKS) 3004 with softdock

2. BODY

- + TABBERT comfort roof, thickness 58 mm, roof rear-ventilated (diffusion function)
- + GFC roof with reduced hail sensitivity
- + Wall thickness 31 mm, roof thickness 58 mm, floor thickness 47 mm
- + Smooth metal sheeting, white
- + LFI (Long Fiber Injection) technology at front and rear
- + Integrated gas locker with aluminium floor and gas locker cover with gas pressure damper and 3-point locking system
- + Lighted entry step with TABBERT emblem (integrated and insulated)
- + Frame windows, tinted, heat insulating, lockable
- + Entrance door with window, roller blind, waste bin, tray, and safety lock
- + Rear storage locker with aluminum floor
- + Combined roller blinds and mosquito netting
- + Lift-tilt roof hood, clear glass / forced ventilation (960x655)
- + Mini-Heki, force ventilated
- + Lift-tilt roof hood, clear glass / forced ventilation (400x400)
- + Single-key system for all doors and access hatches
- + Comfortable maneuvering handles
- + Service hatch in side wall (depending on layout)
- + Brake/tail lights, LED
- + Indicator lights, LED
- + Fog/reversing lights, LED
- + LED awning light above entrance door – with motion sensor
- + TABBERT function floor with underfloor trays
- + Awning above slide out
- + Awning strip illuminated right

3. LIVING

- + Furniture decor „Noce Lido“
- + Exclusive metal handles with comfortable Push in Plus locking
- + Furniture flaps, bi-color, with high-gloss finish
- + Upholstery versions, options: Grazia (real leather as option), Atmosfera, Tendenza (artificial leather)
- + Aluminum vertical support at the entrance
- + Ventilation grate in bench or bed frame
- + Ceiling cupboards with rear ventilation
- + Ergonomically shaped seat cushions with extra high back rest for optimized comfort

- + Stylish panel curtains
- + Single-post lift table for circular seating group
- + Indirect LED lighting strip in canopy (ambient lighting)
- + High-quality PVC flooring
- + Centrally controlled lighting with dimmer
- + Storage hatch in the bench side wall in the entrance area
- + Glass case with ceiling cupboard in entrance area (depending on layout)
- + Corner shelves with integrated lighting
- + Smoke alarm

4. KITCHEN AND SANITARY AREA

- + Dometic refrigerator (gas or 12 V¹) or 230 V), with integrated light and freezer compartment (gas operation en route permitted only in combination with Mono or Dual Control)
- + 3-burner hob with cast iron pan supports, ignition safety, and stainless steel sink with cover
- + Stainless sink with coverage
- + Automatic mixer taps in kitchen and washroom
- + Wall-mounted cabinet with mirror and storage space in the washroom
- + 12V LED lighting
- + Ceramic cassette toilet
- + Hinged milk glass washroom window with blackout/mosquito netting roller blind (depending on layout)
- + Composite material washbasin
- + High-quality soft-close drawers

5. POWER SUPPLY

- + 13-pole connector system “Jäger” (DIN 72570)
- + 12V power supply package
- + LED recess mounted spots (power saving, long life)
- + Optimized voltage supply (constant brightness in changeable lighting conditions, no flickering, no voltage fluctuations, silent operation)
- + TV-ready (antenna connection, roof reinforcement for automatic antenna, SAT cable installed)
- + 22” flatscreen TV with integrated receiver and swivel arm
- + TV connection across from bed
- + Converter/switching power supply 400W, integrated in multifunction floor
- + USB connection socket
- + Wardrobe lighting
- + MP3 fitted radio with 2 speakers in living area, and 2 speakers in sleeping area

6. GAS / WATER / HEATING

- + Electric underfloor heating
- + Convection gas heater for living area
- + Convection gas heater for sanitary area
- + Hot water supply (in kitchen and toilet with Truma Thermo)
- + Fresh water tank, 45 liters, integrated in multifunction floor
- + Water lines routed alongside air recirculation hose
- + City water connection

7. Air Conditioning

- + Roof-mounted air conditioning

Item No.		750 HTD Slide Out	Weight	
Chassis				
150840	ALKO Big Foot for premium supports	•	3	
151728	Spare wheel, alloy rim	•	-	
151678	Hydraulic supports – only in combination with 12V power supply package!	•	22	
152313	Mover tandem-axle up to 3,500 kg	•	60	
Roof, windows, gas bottle locker, doors, ventilation				
100750	Lift-tilt roof hood, clear glass / forced ventilation (700x500)	•	8	
101402	Mosquito netting door 1/1	•	4	
100612	Additional service hatch - position and size depending on layout	•	2	
Moldings				
102000	Additional single strip molding silver/chrome	•	8	
101399	Additional double strip molding silver/chrome	•		
102135	Awning strip molding with integrated lighting	X		
Awnings				
501997	Awning 455 x 250 cm – roof-mounted installation	•	32	
502349	Awning 600 x 300 cm - roof-mounted installation	•		
Living				
551347	Slide-out carpeting	•	11	
551962	Roof cladding incl. anthracite-coloured air conditioning cover	•	10	
551416	Leather design Grazia	•		
552030	TABBERT comfort sleeping system with disc spring bed base and breathable mattress	•		
552342	TABBERT comfort sleeping system with disc spring bed base and breathable mattress - Cellini Slide Out	•		
551679	Bed spread	•		
552269	Wardrobe instead of bathroom cabinet	•		
552270	Sideboard with 3 instead of 2 doors	•		
402271	Continuous kitchen counter top – in-built appliances provided uninstalled	•		
Power Supply				
250073	230 V socket for power supply outside, incl. antenna connection	•	1	
250072	Additional internal 230 V socket	•		
250940	12 V socket, additional, inside	•		
251998	Fully automated CaroVision antenna – (without receiver)	•	10	
252129	Fully automated Oyster 65 Twin antenna – (without receiver)	•	10	
251337	Antenna cable on the drawbar, 10 m length	•	4	
551702	6 additional LED ceiling spots – technology in roof – bedroom	•	2	
252004	Sound system "classic" with subwoofer, amplifier and jack cable for TFT audio transfer from TV to sound system (only in conjunction with 12 V package)	•	6	
252005	Sound system "premium" with subwoofer, amplifier and jack cable for audio transfer from TV to sound system incl. CaroVision (only in conjunction with 12 V package)	•		
251362	Underfloor lighting, LED	•	3	

Item No.		750 HTD Slide Out	Weight	
Kitchen area				
401307	189 liter fridge – gas operation in driving mode is only allowed in combination with Mono Control (12 V operation not provided)	•	18	
400573	12 V fridge fan	•	0	
402268	Large pull-out section in kitchen instead of 2 drawers	•		

Sanitary area				
451441	Shower unit with taps, no 230 V socket in washroom	X	4	
451777	Wood grille for shower tray	•	3	
450563	Fill level display for fresh water tank (only in conjunction with 45 liter fresh water tank)	•		

Gas, water, heating				
450092	Waste water tank 25 liters, mobile, with odor trap	•	4	
351386	Alde hot water boiler via gas operation and/or 3 kW electric heating cartridge (service hatches omitted)	•	34	
352208	ALDE Smart Control	•		
451960	Fresh water tank, 75 liters, integrated in function floor	•	6	
300518	Gas socket, front, right	•	2	
550086	Heating with Ultra-Heat (Truma electric heater) – not available in combination with Alde hot water boiler	•	2	
301956	Truma MonoControl CS incl. gas filter	•	1	
301957	Truma DuoControl CS incl. gas filter	•	2	
301057	Remote display + Ice-Ex	•	1	
351390	Truma fireplace only for Truma S 5004	•	4	
451481	Hot water system with boiler via Truma Boiler BN 10 (gas/electric) - no Truma Therme	•	10	

TÜV TRAILER CERTIFICATE				
951036	TÜV and registration document	•		

Weight increase				
150112	3,000 kg to 3,500 kg for Slide-Out	•	25	
	available up to 3 months before production			

Packs

Item No.

150080 Premium Exterior package - mono-axle 32 kg	
	PUCCINI, VIVALDI, DA VINCI, ROSSINI
	from 1,900 kg only in conjunction with option 151840 Spare wheel with alloy rim instead of steel rim!
101353	Drawbar cover
101617	Single strip molding, silver (chrome)
150027	Spare wheel brace in gas bottle locker
150840	ALKO Big Foot for heavy-duty crank steadies
151378	Alloy rims, silver, with tyres (mono-axle)
151372	Spare wheel, steel rim with standard tyre

Item No.

150081 Premium Exterior Package – tandem-axle 30 kg	
	PUCCINI, VIVALDI, DA VINCI, ROSSINI
101353	Drawbar cover
101617	Single strip molding, silver (chrome)
150027	Spare wheel brace in gas bottle locker
150840	ALKO Big Foot for heavy-duty crank steadies
151372	Spare wheel, steel rim with standard tyre
151382	Alloy rims, silver, with tyres (tandem-axle)

Item No.

150083 Premium Interior Package 15 kg	
	CELLINI (except Slide Out), PUCCINI, VIVALDI, DA VINCI (except 700 KD), ROSSINI
101402	Mosquito netting door 1/1
551679	Bed spread for fixed beds
552030	TABBERT comfort sleeping system with flexible disk-spring bed base and breathable barrel spring core mattress
450563	Level gauge, fresh water tank

Item No.

150084 Premium Interior Package DaVinci 700 KD 6 kg	
	(same as 150083, but without TABBERT comfort sleeping system with flexible disk-spring bed base and breathable barrel spring core mattress)

Item No.

150087 Design Exterior Package 15 kg	
	CELLINI, PUCCINI, VIVALDI starting at 490
102011	Frame windows (installation of a large window for children's room layout)
102135	Awning rails with LED strip on door side
102136	Side walls with smooth metal (white)

Item No.

150005 12 V Power Supply Package 28 kg	
	CELLINI, PUCCINI, VIVALDI, DA VINCI, ROSSINI
251485	Electronic charging unit, 28 A
251489	80-AH gel battery
251490	Display for battery power and tank level via board control

Item No.

150075 Lighting Package	
	DA VINCI, ROSSINI
551480	Ambiance lighting
252204	Entrance step illuminated
251491	Awning light with motion sensor

Item No.

150078 Winter-caravan package (incl. Chimney)	
	VIVALDI
301057	DuoC remote indicator (ice ex integrated)
301957	DuoControl CS
102245	Winter cover incl. Awning bar on rear window
102244	Winter cover incl. Awning bar above bottle crate
102036	Winter cover for refrigerator ventilation grille
352389	Flue extension

HOW TO READ OUR LAYOUTS:



- ① Window
- ② Seating group
- ③ 3-burner hob and washbasin
- ④ Double bed
- ⑤ Toilet and shower
- ⑥ Bunk bed
- ⑦ Entrance
- ⑧ Connections for flatscreen TV
- ⑨ Fridge
- ⑩ Wardrobe
- ⑪ Separate washbasin
- ⑫ Three-step en-suite bathroom extension
- ⑬ Room divider
- ⑭ Linen cupboard

TABBERT caravans come with generous permissible vehicle payload options. By means of innovative solutions such as using high performance steel chassis' and honeycomb technology on furniture, low vehicle net weights are being realized.

The mass of the empty vehicle as referred to in the price list is the mass of the vehicle with standard equipment and without basic equipment, i.e. without „liquids“ and without optional fittings as referred to in art. 2, ciff. 3 VO (EU) 1230/2012
Mass in running order, see Article 2, ciff. 4 a) VO (EU) 1230/2012, unless nothing different is regulated, is defined as follows:

Mass of the vehicle with standard equipment as referred to in manufacturer specifications:

- + Steel liquid gas bottles (11 kg) filled to 100% (i. e. 23 kg total mass)
- + Fresh water tank (filled to 100%)
- + Toilet flush tank (100 % full)
- + Fresh water boiler filled to 100%
- = Mass in ready-to-start mode

The „permissible total mass“ see Article 2, ciff. 7 VO (EU) 1230/2012 is defined as follows:

The mentioned vehicle's maximum mass from the manufacturer in loaded state (incl. Optional equipment/extras/packages and gas, water, luggage and load, etc.)

For you as TABBERT caravan user:

The maximum permissible payload as referred to in the TABBERT catalogue is defined as:

- Tecnically authorized total mass
- mass in running order
- = maximum permissible payload

Example:

- (Tecnically authorized total mass) 1.400 kg
- (Mass in running order) 1.090 kg
- = (Maximum permissible payload) 310 kg

Please note that maximum permissible payload as referred to in the catalogues, for example if the mass of the additional fitting is reduced.

Please note that your TABBERT caravan still must have a minimum payload capacity (= minimum payload) after deduction of optional equipment's mass from the maximum permissible payload, which may not be below the minimum payload (cf. attachment I, part D, para. 2.3.4.1 VO (EU) 1230/2012):

(Maximum number of berths + total length (in m) of the vehicle body) x 10 = Minimum permissible payload (kg)

Example:

[(Maximum number of berths) 4 + (total length (in m) of vehicle body) 5] x 10 = 90 kg

The mass of the vehicle with standard equipment according to manufacturer specifications is determined through weighing of the vehicle with standard fitting.

Mistakes and changes are excepted. After the deadline (07/2016) there can be made product modifications. With publication of this price information previous lists are no longer valid.

Dimensions and weight data may vary ca. +/-5% due to tolerances of the natural raw materials used see attachment 2, ciff. 2.2 b) VO (EU) 1230/2012

As a user of a caravan, you are required not to exceed the values of the permissible total mass in driving mode, and respective maximum permissible axle load and nose weight limits. Furthermore, you are obliged to adhere to all other requirements for a safe usage of your caravan.

The mattress dimension can slightly differ from the stated bed dimensions. Information about the capacity of the refrigerators refer to the manufacturer specifications.

For organisational reasons it is not possible to pick up the vehicle in the works of the manufacturer.

The water supply system is minimum state of the art (03/2009) (Regulation 2002/72/EG).

¹⁾ 12V operation from 148 ltr. refrigerators ar not possible!

ROSSINI



ROSSINI 400 LK 2,3



ROSSINI 540 E 2,3



ROSSINI 450 E 2,3



ROSSINI 620 DM 2,5



ROSSINI 450 TD 2,3



ROSSINI 655 UDB 2,5



ROSSINI 480 TD 2,3



ROSSINI 490 DM 2,3

DA VINCI



DA VINCI 380 TD 2,3



DA VINCI 540 DM 2,5



DA VINCI 450 TD 2,3



DA VINCI 540 E 2,3



DA VINCI 460 E 2,3



DA VINCI 550 DM 2,3



DA VINCI 490 TD 2,3



DA VINCI 560 TDL 2,5



DA VINCI 495 HE 2,3



DA VINCI 655 KD 2,5



DA VINCI 540 DM 2,3



DA VINCI 700 KD 2,5

VIVALDI



VIVALDI 460 E 2,3



VIVALDI 560 TD 2,5



VIVALDI 480 TD 2,3



VIVALDI 560 TDL 2,5



VIVALDI 550 E 2,3



VIVALDI 655 UDB 2,5



VIVALDI 550 E 2,5



VIVALDI 655 UEB 2,5



VIVALDI 560 DM 2,5



VIVALDI 685 DF 2,5



VIVALDI 560 E 2,5

PUCCINI



PUCCINI 480 TD 2,3



PUCCINI 560 TD 2,5



PUCCINI 655 TD 2,5



PUCCINI 495 HE 2,3



PUCCINI 560 UEB 2,5



PUCCINI 685 DF 2,5



PUCCINI 550 E 2,3



PUCCINI 655 D 2,5



PUCCINI 750 HTD 2,5



PUCCINI 560 E 2,5

CELLINI



CELLINI 590 TD 2,5



CELLINI 655 DF 2,5



CELLINI 750 HTD 2,5

CELLINI SLIDE-OUT



CELLINI 750 HTD 2,5 Slide-Out

TABBERT 

B e w e g e n d e M o m e n t e

Knaus Tabbert GmbH • Helmut-Knaus-Straße 1 • D-94118 Jandelsbrunn • www.tabbert.de